



The
2007
COLLECTION

AFX

— EUROPE —

afx europe.com





FX-30

FULL-FACE STREET HELMET

- o Meets or exceeds both ECE 22.05 and DOT FMVSS-218 safety standards
- o Aerodynamic shell constructed using a lightweight composite poly-alloy
- o Features a hypo-allergenic and antimicrobial nylon helmet liner and cheek pads; all of which are removable and washable

SIZES:
XS-XXL

COLOURS:
*-MULTI



- o A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays
- o Features 5-point ventilation with chin, side, forehead, top and rear vents
- o Features a square type D-ring or optional quick-release retention system



FX-25

FULL-FACE STREET HELMET

- o Meets or exceeds both ECE 22.05 and DOT FMVSS-218 safety standards
- o Aerodynamic shell constructed using a lightweight composite poly-alloy
- o Features a hypo-allergenic and antimicrobial nylon helmet liner and cheek pads; all of which are removable and washable

SIZES:
XS-XXL

COLOURS:
*-MULTI



- o A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays
- o Features 5-point ventilation with chin, side, forehead, top and rear vents
- o Features a square type D-ring or optional quick-release retention system



FX-20

SIZES:
XS-XXL

- o ECE 22.05 & DOT FMVSS-218
- o Lightweight composite shell
- o Removable / washable liner
- o Ventilation at four points



FX-20Y

SIZES:
YS - YL

- o ECE 22.05 & DOT FMVSS-218
- o Lightweight composite shell
- o Removable / washable liner
- o Youth Liner System

FX-35

ADULT OFF-ROAD HELMET

FX-35Y

YOUTH OFF-ROAD HELMET



COLOURS:
*-MULTI

- o Meets or exceeds both ECE 22.05 and DOT FMVSS-218 safety standards
- o Aerodynamic shell constructed using a lightweight composite poly-alloy
- o Features a hypo-allergenic and antimicrobial nylon helmet liner and cheek pads; all of which are removable and washable

SIZES:
XS-XXL
YS - YL

- o Youth Liner System - Three helmet sizes, one helmet shell (35Y ONLY)
- o Comes with a removable screw-on visor and roost deflector
- o Features 3-point ventilation with chin, forehead and top vents
- o Features a square type D-ring or optional quick-release retention system



FX-33

SIZES:
XS-XXL

- o ECE 22.05 & DOT FMVSS-218
- o Lightweight composite shell
- o Removable / washable liner
- o Removable roost deflector

FX-33Y

SIZES:
YS - YL

- o ECE 22.05 & DOT FMVSS-218
- o Removable / washable liner
- o Replacable screw-on visor
- o Youth Liner System



FX-40

SIZES:
XS-XXL

- o ECE 22.05 & DOT FMVSS-218
- o Lightweight composite shell
- o Single-turn screw face shield
- o Removable / washable liner

FX-44

SIZES:
XS-XXL

- o ECE 22.05 & DOT FMVSS-218
- o Removable / washable liner
- o Single screw face shield
- o Replacable screw-on visor

FX-47

SKUTOUR OPEN-FACE

FX-48

SKUTOUR OPEN-FACE



COLOURS:

- o Meets or exceeds both ECE 22.05 and DOT FMVSS-218 safety standards
- o Aerodynamic shell constructed using a lightweight composite poly-alloy
- o Features a hypo-allergenic and antimicrobial nylon helmet liner which is both removable and washable

SIZES:
XS-XXL

- o Removable neck curtain system and ear covers (48 ONLY)
- o A flush-fit, quick-release, single-turn screw face shield with side covers
- o Features 2-point ventilation with top and rear vents
- o Features a square type D-ring or optional quick-release retention system



FX-42

PILOT

SIZES:
XS-XXL

- o ECE 22.05 & DOT FMVSS-218
- o Lightweight composite shell
- o Single screw face shield
- o Removable cheek pads

FX-45

SIZES:
XS-XXL

- o ECE 22.05 & DOT FMVSS-218
- o Lightweight composite shell
- o Replacable 3-snap visor
- o Removable cheek pads



You can find complete specifications for each of our helmet models, detailed explanations for AFX's exclusive technologies, and photos of every helmet model in every colour at our website:

afx europe.com



PHONE: 001 519 686 6477
 FAX : 001 519 686 6056
 WEB: www.afxeurope.com
 E-MAIL: info@afxeurope.com
 MAIL: 528 Newbold Street
 London, ON, Canada
 N6E 1K6

© Copyright 2006, AFX Europe Inc.