

2005 SNOW CATALOG











Youth Full Face Snowmobile Helmet - DOT APPROVED

### STANDARD FEATURES

. MEETS OR EXCEEDS: DOT FMVSS-218 . LIGHT WEIGHT YOUTH SIZED SHELL AND SIZING . CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY

. AERODYNAMIC SHELL DESIGN . CLEAR COAT FINISH PROTECTS HELMET PAINT . RECESSED FOREHEAD AND AERODYNAMIC CHIN VENTS PROVIDE INCREASED AIRFLOW AND REDUCED WIND NOISE

. OUTSIDE ADJUSTABLE SIDE VENTURI AIR VENTS INCREASE EXHAUST AIR FLOW WASHABLE PLUSH BRUSHED HYPO-ALLERGENIC

NYLON INTERIOR

 DOUBLE LENS THERMAL PANE FACE SHIELD. FEATURING THE LATEST INTEGRATED INTERNAL RATCHET SYSTEM . SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

FX-12 HELMET WEIGHT (LARGE) 2.73 lb 43.7 oz 1.24 kg

### AVAILABLE SIZES YOUTH SMALL YOUTH MEDIUM YOUTH LARGE



## WITH DOUBLE LENS ELECTRIC SHIELD



### AFX FX-12 CAF® VENTILATION SYSTEM CAF® CONTROLLED AIR FLOW VENTILATION SYSTEM EXPLAINED CHIN VENT

The shape and size of the FX-12 chin vent is designed for optimal airflow and reduced noise. Its compound curved design was developed to allow airflow to smoothly pass over the chin area of the helmet. In the open position air is redirected up the inside of the face shield rather than through the front jaw. This greatly reduces the chance of fogging and promotes an even airflow across the inside surface of the face shield. This feature is similar to the windshield vent found in most modern automobiles.

### TOP VENT

Like the chin vent, the top forehead vent is aeradynamically designed to optimize airflow. In the open position air is forced into large intake holes in the outside vent cover, and channeled to the forehead area. Once inside the helmet, air is directed

FX-12 YOUTH FULL F	ACE DOT APPROVED SOLID
COLOR WITH DOUBL	LE LENS ELECTRIC SHIELD
CIZE	<b>BLACK</b>

SIZE		BLACK
Y-SMA	LL	FX12-0053
Y-MED	IUM	FX12-0054
Y-LAR	GE	FX12-0055



### INCLUDES CHIN CURTAIN AND BREATH GUARD

along paths designed into the fully removable liner system. These air paths lead the air around both sides of the top of the head.

### SIDE AIR EXIT VENTS

The most noticeable feature of the new CAF® system is the side air exit vents. These vents are designed to allow air inside the chin area to be drawn out through the side of the helmet. Air passing over these vents creates a vacuum inside the vent area. In the open position air inside the chin area is drawn out through passages in the front chin bar to the side of the helmet, where fast moving air over the vents pulls the air out through the back of the vent. The function of this vent is controlled by small switches on the outside of the helmet incorporated into the vent design. This provides the convenience of being able to open or close the vents with out having to remove the helmet.



## WITH DOUBLE LENS SHIELD



### FX-12 YOUTH FULL FACE DOT APPROVED SOLID COLOR WITH DOUBLE LENS SHIELD

SIZE	BLACK
Y-SMALL	FX12-0043
Y-MEDIUM	FX12-0044
Y-LARGE	FX12-0045





INCLUDES CHIN CURTAIN AND BREATH GUARD

All AFX electric and double lens face shields are made in North America using the highest quality America made materials for superior quality and durability. All our face shields are made from hard coated polycarbonate with an exclusive anti fog inner lens. AFX electric shields are the clear laminate design, providing a clear no lines views while being able to generate a difference in temperature of 50-60 degrees F.

## AFX "NO-LINES" ELECTRIC DOUBLE LENS FACE SHIELD





ITEM	PART NUMBER		
NO LINES CLEAR ELECTRIC SHIELD (INCLUDES A&B)	FX-0106		
REPLACEMENT COIL CORD FOR FX-0106	Α	FX-0101	
REPLACEMENT STRAIGHT CORD FOR FX-0106	В	FX-0102	
AFX DOUBLE LENS FACE SHIELD.			

### <u>AFX DOUBLE LENS FACE SHIELD,</u> <u>CHIN CURTAIN AND BREATH GUARD</u>



IIEM	PAF	RINUMBER
STANDARD CLEAR DOUBLE LENS	SHIELD	FX-0107
OPTIONAL SMOKE TINT DOUBLE I	ENS SHIELD	FX-TBA
VENTED CHIN CURTAIN	Α	FX-0108
MOLDED BREATH GUARD	в	FX-0109





Youth Full Face Snowmobile Helmet - DOT APPROVED

### STANDARD FEATURES

. MEETS OR EXCEEDS: DOT FMVSS-218 . LIGHT WEIGHT YOUTH SIZED SHELL AND SIZING . CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY . AERODYNAMIC SHELL DESIGN . CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT . RECESSED FOREHEAD AND AERODYNAMIC CHIN VENTS PROVIDE INCREASED AIRFLOW AND **REDUCED WIND NOISE** . OUTSIDE ADJUSTABLE SIDE VENTURI AIR VENTS INCREASE EXHAUST AIR FLOW . WASHABLE PLUSH BRUSHED HYPO-ALLERGENIC NYLON INTERIOR DOUBLE LENS THERMAL PANE FACE SHIELD, FEATURING THE LATEST INTEGRATED INTERNAL RATCHET SYSTEM . SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

FX-12 HELMET WEIGHT (LARGE) 2.73 lb 43.7 oz 1.24 kg

AVAILABLE SIZES YOUTH SMALL YOUTH MEDIUM YOUTH LARGE







INCLUDES CHIN CURTAIN AND BREATH GUARD











**BLUE MULTI** 

Y-LARGE

FX12-0065

SILVER MULTI

YELLOW MULTI

FX12-0105 FX12-TBA

**GREEN MULTI** 

SIZE	BLUE	RED	SILVER	YELLOW	GREEN	FREEDOM
	MULTI	MULTI	MULTI	MULTI	MULTI	
Y-SMALL	FX12-0063	FX12-0073	FX12-0083	FX12-0093	FX12-0103	FX12-TBA
Y-MEDIUM	FX12-0064	FX12-0074	FX12-0084	FX12-0094	FX12-0104	FX12-TBA

FX12-0085

FX12-0095

FX12-0075

EX 12 YOUTH FULL FACE DOT ADDROVED MULTI COLODS WITH DOUDLE LENS SHIELD



FREEDOM





Full Face Snowmobile Helmet – DOT APPROVED

WITH DOUBLE LENS ELECTRIC SHIELD

### STANDARD FEATURES

- · MEETS OR EXCEEDS : DOT FMVSS-218
- · CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY
- · AERODYNAMIC SHELL DESIGN
- · CLEAR COAT FINISH PROTECTS HELMET PAINT
- RECESSED FOREHEAD AND AERODYNAMIC CHIN VENTS
  PROVIDE INCREASED AIRFLOW AND REDUCED WIND
  NOISE
- OUTSIDE ADJUSTABLE SIDE VENTURI AIR VENTS INCREASE EXHAUST AIR FLOW
- FLUSH FIT QUICK RELEASE SIDE COVERS WITH SINGLE TURN SCREW
- · DOUBLE LENS THERMAL PANE FACE SHIELD
- · VENTED CHIN CURTAIN
- · MOLDED THERMAL FORMED BREATH GUARD
- · AMPLE EAR CAVITY FOR SPEAKERS
- · SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

FX-10 HELMET WEIGHT (LARGE) 3.3 lb 53 oz 1.5 kg

AVAILABLE SIZES XS, S, M, L, XL, XXL, XXXL,XXXXL



#### AFX FX-10 CAF® VENTILATION SYSTEM CAF® CONTROLLED AIR FLOW VENTILATION SYSTEM EXPLAINED

#### CHIN VENT

The shape and size of the FX-10 chin vent is designed for optimal airflow and reduced noise. Its compound curved design was developed to allow airflow to smoothly pass over the chin area of the helmet.

In the open position air is redirected up the inside of the face shield rather than through the front jaw. This greatly reduces the chance of fogging and promotes an even airflow across the inside surface of the face shield. This feature is similar to the windshield vent found in most modern automobiles.

#### TOP VENT

Like the chin vent, the top forehead vent is aerodynamically designed to optimize airflow.

# FX-10 FULL FACE DOT APPROVED SOLID COLORS

## WITH DOUBLE LENS ELECTRIC SHIELD

SIZE	BLACK
X-SMALL	FX10-00812
SMALL	FX10-00813
MEDIUM	FX10-00814
LARGE	FX10-00815
X-LARGE	FX10-00816
XX-LARGE	FX10-00817
XXX-LARGE	FX10-00818
XXXX-LARGE	FX10-00819



### INCLUDES CHIN CURTAIN AND BREATH GUARD

In the open position air is forced into large intake holes in the outside vent cover, and channeled to the forehead area. Once inside the helmet, air is directed along paths designed into the liner. These air paths lead the air around both sides of the top of the head.

#### SIDE AIR EXIT VENTS

The most noticeable feature of the new CAF® system is the side air exit vents. These vents are designed to allow air inside the chin area to be drawn out through the side of the helmet. Air passing over these vents creates a vacuum inside the vent area. In the open position air inside the chin area is drawn out through passages in the front chin bar to the side of the helmet, where fast moving air over the vents pulls the air out through the back of the vent. The function of this vent is controlled by small switches on the outside of the helmet incorporated into the vent design. This provides the convenience of being able to open or close the vents with out having to remove the helmet.



## WITH DOUBLE LENS SHIELD



## FX-10 FULL FACE DOT APPROVED SOLID COLORS

WITH DOUBLE LENS SHIELD				
SIZE	BLACK			
X-SMALL	FX10-00192			
SMALL	FX10-00193			
MEDIUM	FX10-00194			
LARGE	FX10-00195			
X-LARGE	FX10-00196			
XX-LARGE	FX10-00197			
XXX-LARGE	FX10-00198			
XXXX-LARGE	FX10-00199			
LARGE X-LARGE XX-LARGE XXX-LARGE	FX10-00195 FX10-00196 FX10-00197 FX10-00198			



INCLUDES CHIN CURTAIN AND BREATH GUARD

All AFX electric and double lens face shields are made in North America using the highest quality America made materials for superior quality and durability. All our face shields are made from hard coated polycarbonate with an exclusive anti fog inner lens. AFX electric shields are the clear laminate design, providing a clear no lines views while being able to generate a difference in temperature of 50-60 degrees F. Fits all FX-10 and X-15R helmets.

### AFX "NO-LINES" ELECTRIC DOUBLE LENS FACE SHIELD



ITEM	PART NUMBER
NO LINES CLEAR ELECTRIC SHIELD (INCLUDES A&B	3) FX-0100
REPLACEMENT HELMET COIL CORD FOR ABOVE- A	FX-0101
REPLACEMENT MACHINE STRAIGHT CORD ABOVE-	B FX-0102

### AFX DOUBLE LENS FACE SHIELD, CHIN CURTAIN AND BREATH GUARD



STANDARD CLEAR DOUBLE	LENS SHIELD	FX-0103
OPTIONAL SMOKE TINT DOU	JBLE LENS SHIELD	FX-TBA
VENTED CHIN CURTAIN	Α	FX-0104
MOLDED BREATH GUARD	В	FX-0105





Full Face Snowmobile Helmet – DOT APPROVED

### STANDARD FEATURES

- \* MEETS OR EXCEEDS : DOT FMVSS-218
- \* CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY
- **\* AERODYNAMIC SHELL DESIGN**
- \* CLEAR COAT FINISH PROTECTS HELMET PAINT AND-GRAPHICS AND LOOKS GREAT
- \* RECESSED FOREHEAD AND AERODYNAMIC CHIN VENTS PROVIDE INCREASED AIRFLOW AND REDUCED WIND NOISE
- \* OUTSIDE ADJUSTABLE SIDE VENTURI AIR VENTS INCREASE EXHAUST AIR FLOW
- \* FLUSH FIT QUICK RELEASE SIDE COVERS WITH SINGLE TURN SCREW
- \* DOUBLE LENS THERMAL PANE FACE SHIELD
- \* VENTED CHIN CURTAIN
- **\* MOLDED THERMAL FORMED BREATH GUARD**
- **\* AMPLE EAR CAVITY FOR SPEAKERS**
- \* SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

FX-10 HELMET WEIGHT (LARGE) 3.3 lb 53 oz 1.5 kg

AVAILABLE SIZES XS, S, M, L, XL, XXL, XXXL,XXXXL







INCLUDES CHIN CURTAIN AND BREATH GUARD











**BLUE MULTI** 

SILVER MULTI

YELLOW MULTI

**GREEN MULTI** 

FX-10 FULL FACE DOT APPROVED MULTI COLORS WITH DOUBLE LENS SHIELD							
SIZE	BLUE	RED	SILVER	YELLOW	GREEN	FREEDOM	
	MULTI	MULTI	MULTI	MULTI	MULTI		
X-SMALL	FX10-00212	FX10-00202	FX10-00222	FX10-00232	FX10-00242	FX10-TBA	
SMALL	FX10-00213	FX10-00203	FX10-00223	FX10-00233	FX10-00243	FX10-TBA	
MEDIUM	FX10-00214	FX10-00204	FX10-00224	FX10-00234	FX10-00244	FX10-TBA	
LARGE	FX10-00215	FX10-00205	FX10-00225	FX10-00235	FX10-00245	FX10-TBA	
X-LARGE	FX10-00216	FX10-00206	FX10-00226	FX10-00236	FX10-00246	FX10-TBA	
XX-LARGE	FX10-00217	FX10-00207	FX10-00227	FX10-00237	FX10-00247	FX10-TBA	
XXX-LARGE	FX10-00218	FX10-00208	FX10-00228	FX10-00238	FX10-00248	FX10-TBA	
XXXX-LARGE	FX10-00219	FX10-00209	FX10-00229	FX10-00239	FX10-00249	FX10-TBA	



FREEDOM





### Youth Snowmobile Off-Road Helmet - DOT APPROVED

### STANDARD FEATURES

- . MEETS OR EXCEEDS: DOT FMVSS-218
- . CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY
- . CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT
- REPLACEABLE FOREHEAD AND CHIN VENTS PRO-VIDE INCREASED AIRFLOW AND REDUCED WIND NOISE
- . PLUSH BRUSHED REMOVABLE AND WASHABLE HYPO-ALLERGENIC NYLON INTERIOR . BALLISTIC NYLON CHIN BAR LINER FOR DURABILITY AND GOOD LOOKS.
- . THREE SCREW PAINTED AFX AIR FORCE VISOR . TWO ALUMINUM VISOR SCREWS, AND NEW DESIGN CENTRE SCREW
- . SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

FX-6R HELMET WEIGHT (LARGE) 2.2 lb 35 oz 1.0 kg

THREE YOUTH SIZES : YOUTH SMALL = ADULT XXXS YOUTH MEDIUM = ADULT XXS YOUTH LARGE = ADULT XS



The Helmet That Can Grow With Your Child

By simply replacing the cheek pads and liner a FX-6R helmet can be transformed to comfortable fit a child with any of three youth helmet sizes: Youth Small, Youth Medium or Youth Large. For example, you could take an existing Youth Small FX-6R helmet, pop out the cheek pads and removable liner, replace them with the Youth Large cheek pads and liner, and end up with a Youth Large FX-6R helmet. Since the physical shell of the FX-6R helmet never changes, the impact safety provided by DDT-approved youth helmet is not affected by the change.



10







## Snowmobile Off-Road Helmet - SNELL M2000

### STANDARD FEATURES

. MEETS OR EXCEEDS: DOT FMVSS-218 . MEETS OR EXCEEDS: SNELL M2000 . CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY

. CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT

REPLACEABLE FOREHEAD AND CHIN VENTS PRO-VIDE INCREASED AIRFLOW AND REDUCED WIND NOISE

. PLUSH BRUSHED HYPOALLERGENIC NYLON INTERI-OR WITH FULLY REMOVABLE AND WASHABLE SNAP OUT LINER AND CHEEK PADS.

. BALLISTIC NYLON CHIN BAR LINER FOR DURABILITY AND GOOD LOOKS.

. FULL PAINTED THREE SCREW AFX AIR FORCE VISOR . TWO ALUMINUM VISOR SCREWS, AND NEW DESIGN CENTRE SCREW

. SQUARE TYPE D-RING WITH CHIN STRAP HOLDER . INCLUDES BLACK CARRY BAG

FX-8R HELMET WEIGHT (LARGE) 2.82 lb 45.2 oz 1.28 kg

AVAILABLE SIZES XS, S, M, L, XL, XXL





12







### Snowmobile Off-Road Helmet - DOT APPROVED

### STANDARD FEATURES

. MEETS OR EXCEEDS: DOT FMVSS-218

. ALL NEW ULTRA LIGHT WEIGHT DESIGN

. ECONOMICAL DOT VERSION OF THE FX-8R . CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY

. CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT

REPLACEABLE FOREHEAD AND CHIN VENTS PRO-VIDE INCREASED AIRFLOW AND REDUCED WIND NOISE

. NON REMOVABLE WASHABLE PLUSH BRUSHED HYPO-ALLERGENIC NYLON INTERIOR . BALLISTIC NYLON CHIN BAR LINER FOR DURABILITY AND GOOD LOOKS.

. PAINTED THREE SCREW AFX AIR FORCE VISOR . TWO ALUMINUM VISOR SCREWS, AND NEW DESIGN CENTRE SCREW . SQUARE TYPE D-RING WITH CHIN STRAP HOLDER . AVAILABLE IN XXXI AND XXXXI SIZING

FX-9 HELMET WEIGHT (LARGE)

2.67 lb 42.7 oz 1.21 kg

AVAILABLE SIZES XS, S, M, L, XL, XXL, XXXL, XXXXL







14









## AFX NORTH AMERICA INC.

13051 Bahia Drive, Cerritos, CA 90703, USA 528 Newbold Street, London, Ontario Canada, N6E 1K6 Tel: 877-686-6477 or 519-686-6477 Fax: 519-686-6056 www.afxhelmets.com Email: info@afxhelmets.com