




FX-46 PAGE 62-65









FX-33 PAGE 84-87



SNOW HELMETS AND ACCESSORIES




FX-39DS SNOW PAGE 92-95





REPLACEMENT PARTS PAGE 117



FX-41DS SNOW PAGE 96-99





HELMET TECHNOLOGY

NOTE: SEE PAGE 100 & 106 FOR PINLOCK[®]70 ANTI-FOG INSERT

SHELL DESIGN

FX-99

An aerodynamic shell design constructed using an advanced ultra light weight polly-alloy for light weight and strength



4

FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and Pinlock[®]70 Prepared that protects against UV-rays.

3 COLD WEATHER VERSION

Available with the edition of double lens or double lens electric shields and snap in winter breath guard

QUICK RELEASE RATCHET

Quick release shield ratchet system



3 COLD WEATHER VERSION

5 VENTILATION

10 points of ventilation with chin, forehead, top and rear vent. 4 intake vents and 6 exhaust vents















MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

•Retention system is a race approved Titanium Double D-RING

·Provides ample ear cavity space for most speaker systems

•There are 3 tinted shields available for this model

•A clear coat finish to protect paint & graphics

•A large-size FX-99 weighs 1.37 kg or 3.00 lbs.

•Available size: XS-XXL

NOTE: SEE PAGE 100 FOR THE PINLOCK[®]SHIELDS NOTE: SEE PAGE 119 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and antimicrobial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	40	30	25	45	40	30
COMFORT LINER THICKNESS (MM)	18	16	14	16	14	12









REPLACEMENT PARTS













XS S M L XL XXL 0101 N/A 11106 11107 11108 11109 11110





















FX-90E



HELMET TECHNOLOGY



SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy



FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays

3

QUICK RELEASE RATCHET

Quick release shield ratchet system



VENTILATION

7 points of ventilation with chin, side, forehead, top and rear vent. 5 intake vents and 2 exhaust vents















MAIN SPECIFICATIONS

•This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards

- •Retention system is a race approved Double D-RING
- ·Provides ample ear cavity space for most speaker systems
- •There are 3 tinted shields available for this model
- •A clear coat finish to protect paint & graphics
- •A large-size FX-90E weighs 1.30 kg or 2.86 lbs.

Available size: XS-XXL

NOTE: SEE PAGE 15 AND 117 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	Μ	L	XL	XXL
CHEEK PAD THICKNESS (MM)	45	40	35	30	25	20
COMFORT LINER THICKNESS (MM)	12	10	8	10	8	6







FX-90E

MATTE BLACK XS S M L XL XXL 0101- 10306 10307 10308 10309 10310 10311

PEARL WHITE XS S M L XL XXL 0101- 10312 10313 10314 10315 10316 10317



XS S M L XL XXL 0101- 10318 10319 10320 10321 10322 10323

FX-90E

NOTE:

TO CONVERT EXISTING FX-90E HELMETS TO SNOW HELMETS: CHOOSE SHIELD TYPE AND BREATH GUARD.







FX-90E AMPD Double Lens Snow Shield Part Number :0130-0354





FX-90E ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER :0130-0355

SNOW BREATH GUARD



HI-FLOW BREATH GUARD PART NUMBER :0134-1061

ELECTRIC CORDS



12 VOLT POWER PLUG UNIVERSAL ADAPTER TO RCA CONNECTION PART NUMBER :2130-0053



REPLACEMENT THREE PEICE ELECTRIC CORD SET FOR ALL RCA CONNECTION AFX ELECTRIC SHIELD HELMETS AND SHIELD KITS. PART NUMBER :0133-0518

FX-105



HELMET TECHNOLOGY

SHELL DESIGN

An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength

2

CONE-HEAD EPS

Advanced Cone-Head ® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head

3 FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays

4 QUICK RELEASE RATCHET

Quick release shield ratchet system

5 VENT

6

VENTILATION

9 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 6 exhaust vents

INNER SUN SHIELD

Flip down inner smoke shield with easy to use side actuation lever

DOT FMVSS No.218













MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

- •Retention system is a race approved Double D-RING
- ·Provides ample ear cavity space for most speaker systems
- •There are 3 tinted shields available for this model
- •A clear coat finish to protect paint & graphics
- •A large-size FX-105 weighs 1.59 kg or 3.50 lbs.

•Available size: XS-XXL

NOTE: SEE PAGE 100 FOR THE PINLOCK[®]SHIELDS

NOTE: SEE PAGE 117 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS **REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR**

AFX helmet liners and cheek pads are made with a hypoallergenic and antimicrobial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit). Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

> SIIGHTLY NARROW

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	47	42	37	42	37	27
COMFORT LINER THICKNESS (MM)	16	14	12	14	12	10









REPLACEMENT PARTS

61

 RED / WHITE / BLUE

 XS
 S
 M
 L
 XL
 XXL

 0101 9743
 9744
 9745
 9746
 9747
 9748



FX-105







FX-105



 XS
 S
 M
 L
 XL
 XXL

 0101 9726
 9727
 9728
 9729
 9730
 9731







XS S M L XL XXL 0101- 9732 9733 9734 9735 9736 9737





ORANGE XS S M L XL XXL 0101- 9755 9756 9757 9758 9759 9760



FX-105







FX-105









THUNDERCHIEF - FROST GREY





 XS
 S
 M
 L
 XL
 XXL

 0101 9749
 9750
 9751
 9752
 9753
 9754









FX-105





FLAT BLACK XS S M L XL XXL 0101- 9684 9685 9686 9687 9688 9689



FROST GREY XS S M L XL XXL 0101- 9696 9697 9698 9699 9700 9701



SILVER XS S M L XL XXL 0101- 9702 9703 9704 9705 9706 9707



 XS
 S
 M
 L
 XL
 XXL

 0101 9690
 9691
 9692
 9693
 9694
 9695



 XS
 S
 M
 L
 XIL
 XXL

 0101 9708
 9709
 9710
 9711
 9712
 9713

ADULT VINTAGE FULL-FACE



HELMET TECHNOLOGY

1

SHELL DESIGN

An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength

2 INTERIOR

A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination

3 CONE-HEAD EPS

Advanced Cone-Head ® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head



Universal 5 snap placement for accesory shieds



SEE PAGE 104 FOR 5-Snap Flat Shields













A INTERIOR (LINER AND CHEEK PADS)



MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

•3 snap shield/visor compatible. shield/visor not included with helmet

- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics

•A XS size FX-78 weighs 1.0 kg or 2.20 lbs, A XL size FX-78 weighs 1.1 kg or 2.42 lbs

Available size: XS-XXL

HELMET SHELL & EPS SIZE	XS	S	Μ	L	XL	XXL
CHEEK PAD THICKNESS (MM)	25	20	15	25	20	15





SOLID





ADULT MODULAR / FLIP-UP



HELMET



HELMET TECHNOLOGY

SHELL DESIGN

An aerodynamic shell design constructed using an advanced ultra light weight polly-alloy for light weight and strength

2 CHIN BAR

Cam pivot, chin bar linkage system with latches for ease of movement and secruity

3 FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant

QUICK RELEASE RATCHET

Quick release shield ratchet system

5 INNER SUN SHIELD

Flip down inner smoke shield with easy to use side actuation lever

6 VENTILATION

4 points of aerodynamically designed flush fit ventilation with chin, top (left and right) and unique rear exhaust vents. 3 intake vents and 1 exhaust vents

















MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
•Retention system is Microlock (quick release)
•Provides ample ear cavity space for most speaker systems
•There are 3 tinted shields available for this model
•A clear coat finish to protect paint & graphics
•A large-size FX-111 weighs 1.60 kg or 3.50 lbs.
•Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and antimicrobial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	35	30	25	35	30	25
COMFORT LINER THICKNESS (MM)	16	14	12	14	12	10

NEUTRAL

FIT















ADULT DUAL SPORT / ADVENTURE





HELMET TECHNOLOGY

SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy



FACE SHIELD

A flush-fit, built in side-cover style face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles . Optional outer shield, A 3 position 9cm (3.5")long shield mounted on outside of the clear shield and moving independently from the clear shield. Will also work with the visor removed and the street side covers installed

3

VENTILATION

9 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 6 exhaust vents

VISOR

A removable and adjustable (30mm) screw-on visor. Shield can also be used without the visor. Side cover

kit included B











Δ

(see page #111)







MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Microlock (quick release)
- ·Provides ample ear cavity space for most speaker systems
- •There are 4 tinted shields available for this model
- •A clear coat finish to protect paint & graphics
- •A large-size FX-39DS weighs 1.59 kg or 3.50 lbs.

•Available size: XS-XXL

NOTE: SEE PAGE 117 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	32	28	20	32	24	20
COMFORT LINER THICKNESS (MM)	14	12	8	12	8	6











FX-39DS





ORANGE XS S M L XL XXL 0110- 4930 4931 4932 4933 4934 4935

BLACK XS S M L XL XXL 0110- 4912 4913 4914 4915 4916 4917





GLOSS BLACK XS S M L XL XXL 0110- 2442 2443 2444 2445 N/A 2447



 XS
 S
 M
 L
 XL
 XXL

 0110 2448
 2449
 2450
 2451
 2452
 2453

ADULT DUAL SPORT / ADVENTURE







HELMET TECHNOLOGY

SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy

2

FACE SHIELD

A flush-fit, quick release screw on face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles

VISOR 3

A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included

VENTILATION

17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents





INNER SUN SHIELD

Smoke tinted inner flip down sun shield system with left side slide lever

















MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

- •Retention system is Microlock (quick release)
- ·Provides ample ear cavity space for most speaker systems
- •There are 4 tinted shields available for this model
- •A clear coat finish to protect paint & graphics
- •A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.

•Available size: XS-XXL NOTE: SEE PAGE 101 FOR THE PINLOCK[®] SHIELDS NOTE: SEE PAGE 117 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL XXL
CHEEK PAD THICKNESS (MM)	38	34	28	30	24 22
COMFORT LINER THICKNESS (MM)	8	4	8	8	10 6











FX-41DS

FROST GREY / NEON ORANGE XS S M L XL XXL 0110- 5378 5355 5356 5357 5358 5359





FX-41DS





AT

FX-41DS







SOLID COLOR

FX-41DS



 FROST GREY

 XS
 S
 M
 L
 XL
 XXL

 0110 3760
 3761
 3762
 3763
 3764
 3765





FLAT BLACK XS S M L XL XXL 0110- 3736 3737 3738 3739 3740 3741

 PEARL WHITE

 XS
 S
 M
 L
 XL
 XLL

 0110 3748
 3749
 3750
 3751
 3752
 3753

ADULT OFF-ROAD / ATV AVAILABLE IN YOUTH SIZING, SEE PAGES 58-61



HELMET TECHNOLOGY

	P	-	
	h		

SHELL DESIGN

FX-17

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy. This helmet is specifically designed to fit adolescents and small adults

VENTILATION 2

11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents

3 **GOGGLE GUIDE ON EYEPORT TRIM**

Goggle strap grabbers

VISOR 4

A removable and adjustable (50mm) screw-on visor















MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
•Retention system is a race approved Double D-RING
•A clear coat finish to protect paint & graphics
•A large-size FX-17 weighs 1.55 kg or 3.42 lbs.
•Available size: XS-XXL

NOTE: SEE PAGE 117 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	28	24	20	28	24	20
COMFORT LINER THICKNESS (MM)	10	8	6	10	8	6









REPLACEMENT PARTS

PAGE # 112-114



FORCE - COMPLEX COLORS





MATTE BLACK / ORANGE / BLUE XS S M L XL XXL 0110- 5219 5220 5221 5222 5223 5224

FX-17








0110- 5231 5232 5233 5234 5235 5236

FORCE - COMPLEX COLORS



PEARL WHITE / FUCHSIA

0110- 5255 5256 5257 5258 5259

M L XL

XS S

HOLESHOT - COMPLEX COLORS

FX-17











HOLESHOT - COMPLEX COLORS



FACTOR - COMPLEX COLORS



0110- 4546 4547 4548 4549 4550 4551







PEARL WHITE / GREEN / BLUE XS S M L XL XXL 0110- 4552 4553 4554 4555 4556 4557







MAINLINE







SOLID COLOR





FLAT BLACK XS S M L XL XXL 0110- 1750 1751 1752 1753 1754 1755



ORANGE XS S M L XL XXL 0110- 2314 2315 2316 2317 2318 2319

 XS
 S
 M
 L
 XL
 XXL

 0110 4080
 4081
 4082
 4083
 4084
 4085

0

5

FX-17

 FUCHSIA

 XS
 S
 M
 L
 XL

 0110 4075
 4076
 4077
 4078
 4079

ADULT OFF-ROAD / ATV



HELMET TECHNOLOGY

SHELL DESIGN

FX-21

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy

VENTILATION 2

11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents

CONE-HEAD EPS 3

Advanced in-molded® cone-head® ultra light weight EPS protection system. In-mold construction fuses the helmet's outer shell with the impact-absorbing EPS liner. The two materials are fused together, and one is reinforced by the other. This 'exoskeleton' allows helmets to be engineered that are lighter, more durable and better ventilated



VISOR

A removable and adjustable (40mm) screw-on visor















4



MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

•Retention system is a race approved Double D-RING

·Provides ample ear cavity space for most speaker systems

•A clear coat finish to protect paint & graphics

•A large-size FX-21 weighs 1.34 kg or 2.96 lbs.

Available size: XS-XXL

NOTE: SEE PAGE 117 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness, and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	40	35	35	30	30	25
COMFORT LINER THICKNESS (MM)	20	18	16	14	14	10











FX-21















ACINE



FX-21



 MATTE BLACK / ORANGE / TURQUOISE

 XS
 S
 M
 L
 XL
 XXL

 0110 5377
 5340
 5341
 5342
 5343
 5344





SOLID COLOR



YOUTH / OFF-ROAD/ATV

2

FX-17YE



HELMET TECHNOLOGY

c		
	F 11	

SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy. This helmet is specifically designed to fit youth and small adults A

2 VENTILATION

11 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 8 exhaust vents

3 GOGGLE GUIDE ON EYEPORT TRIM

Goggle strap grabbers.

4 VISOR

A removable and adjustable (50mm) screw-on visor

5 YLS (YOUTH LINER SYSTEM)

This helmet can be converted to any of three youth helmet sizes through the simple swapping of comfort liners and cheek pads













ADULT SIZE

YOUTH SIZE



SPECIFICATIONS & FEATURES

•This helmet model meets or exceeds ECE 22.05 motorcycle helmet safety standards

- •Retention system is a race approved Double D-RING
- •A clear coat finish to protect paint & graphics
- •A youth large-size FX-17YE weighs 1.24 kg or 2.73 lbs

•Available size: YS, YM AND YL

NOTE: SEE PAGE 117 FOR THE COLD WEATHER SNOW BREATH GUARD & CHIN CURTAIN

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

FX-17YE YOUTH FITTING GUIDE

HELMET SHELL & EPS SIZE	YS	YM	Y
CHEEK PAD THICKNESS (MM)	24	20	1
COMFORT LINER THICKNESS (MM)	10	8	6















FACTOR - FROST GREY - MATTE



ADULT OPEN-FACE / JET, WITH FACE SHIELD



HELMET TECHNOLOGY

SHELL DESIGN

A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy

2 FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays

VENTILATION

6 points of aerodynamically designed flush fit ventilation with chin, top, rear, and unique side extraction vents. 2 intake vents and 4 exhaust vents



3

INNER SUN SHIELD

Smoke tinted inner flip down sun shield system with left side slide lever

















MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

Retention system is Microlock (quick release)
Features a metal ring for secure lock ability A
A clear coat finish to protect paint & graphics
A large-size FX-46 weighs 1.50 kg or 3.30 lbs.
Available size: XS-XXL



REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	Μ	L	XL	XXL
CHEEK PAD THICKNESS (MM)	30	27	24	24	21	18
COMFORT LINER THICKNESS (MM)	9	6	4	9	6	4











SOLID COLOR

FX-46



 XS
 S
 M
 L
 XL
 XXL

 0104 1849
 1850
 1851
 1852
 1853
 1854



WINE RED XS S M L XL XXL 0104- 1855 1856 1857 1858 1859 1860



GLOSS BLACK XS S M L XL XXL 0104- 1843 1844 1845 1846 1847 1848

SOLID COLOR





 XS
 M
 XL
 XXL

 0104 1867
 1868
 1869
 1870
 1871
 1872



 XS
 S
 M
 L
 XIL
 XXL

 0104 1873
 1874
 1875
 1876
 1877
 1878

ADULT OPEN-FACE / JET, WITH FACE SHIELD



HELMET TECHNOLOGY

SH

SHELL DESIGN

A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy

2 FA

FACE SHIELD

A flush-fit, built in side-cover style face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays

3 VEN

VENTILATION

4 points of aerodynamically designed flush fit ventilation with chin, top, rear, and unique side extraction vents. 1 intake vents and 3 exhaust vents

4

INNER SUN SHIELD

Smoke tinted inner flip down sun shield system with center slide lever

5 4 IN 1 A

Helmet can be configured one of four different ways. Ships with all parts included






1. Helmet with visor and shield (standard configuration)



2. Helmet with visor







INCLUDES VISOR COLORED SIDE-COVERS AND SCREW PLUG FOR SHIELD USE WITHOUT THE VISOR



4. Helmet only

MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

- •Retention system is Microlock (quick release)
- •A clear coat finish to protect paint & graphics
- •A large-size FX-50 weighs 1.30 kg or 2.80 lbs.
- •Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	48	44	40	36	32	28
COMFORT LINER THICKNESS (MM)	12	10	12	8	8	4











 MATTE BLACK / WHITE

 XS
 S
 M
 L
 XL
 XXL

 0104 2312
 2313
 2314
 2315
 2316
 2317







FLAT BLACK XS S M L XL XXL 0104- 1369 1370 1371 1372 1373 1374

WINE RED XS S M L XL XXL 0104- 1387 1388 1389 1390 1391 1392

ADULT VINTAGE OPEN-FACE / JET WITH INNER SHIELD



HELMET TECHNOLOGY



SHELL DESIGN

An advanced aerodynamic shell design constructed using thermoplastic poly-alloy



INTERIOR

A helmet liner and cheek pads made with a hypo-allergenic and anti-microbial nylon

INNER SUN SHIELD

Smoke tinted inner flip down sun shield system with center slide lever

MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

- •3 snap shield/visor compatible. shield/visor not included with helmet
- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics
- •A XS size FX-79 weighs 1.0 kg or 2.20 lbs, A XL size FX-79 weighs 1.1 kg or 2.42 lbs

Available size: XS-XXL

DOT FMVSS No.218















Ν

NEUTRAL FIT





SOLID COLOR



 MATTE BLACK

 XS
 S
 M
 L
 XL
 XXL

 0104
 2378
 2379
 2380
 2381
 2382
 2383

GLOSS BLACK XS S M L XL XXL 0104 2384 2385 2386 2387 2388 2389

> FROST GREY XS S M L XL XXL 0104 2390 2391 2392 2393 2394 2395

ADULT OPEN-FACE / JET, VINTAGE



HELMET TECHNOLOGY

1

SHELL DESIGN

FX-76

An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength

2 INTI

INTERIOR A

A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination

3

CONE-HEAD EPS

Advanced Cone-Head ® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head















A INTERIOR (LINER AND CHEEK PADS)





MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

•3 snap shield/visor compatible. shield/visor not included with helmet

- •Retention system is a race approved Double D-RING
- ·Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics

•A XS size FX-76 weighs 0.8 kg or 1.76 lbs, A XL size FX-76 weighs 1.0 kg or 2.2 lbs

•Available size: XS-XXL

Vintage 3-Snap Shields see page 102-103 Vintage 3-Snap Visors (Peaks) see page 105





FX-76



XS S 0104- 2330 2331 2332 2333 2334 2335



0104- 2336 2337 2338 2339 2340 2341



GLOSS BLUE / GREY M L XL XXL XS S 0104- 2342 2343 2344 2345 2346 2347

FX-76



0104- 2324 2325 2326 2327 2328 2329

SPEED RACER - MATTE

FX-76





 FLAT RUST / GOLD

 XS
 S
 M
 L
 XL
 XXL

 0104 2072
 2073
 2074
 2075
 2076
 2077



 FLAT BLACK / GOLD

 XS
 S
 M
 L
 XL
 XXL

 0104 2120
 2121
 2122
 2123
 2124
 2125

SPEED RACER - GLOSS



GLOSS MAGNETIC / SILVER XS S M L XL XXL 0104- 2078 2079 2080 2081 2082 2083



GLOSS DARK GREEN / GOLD XS S M L XL XXL 0104- 2132 2133 2134 2135 2136 2137



GLOSS RUST / GOLD XS S M L XL XXL 0104- 2126 2127 2128 2129 2130 2131



GLOSS BLACK / GOLD XS S M L XL XXL 0104- 2138 2139 2140 2141 2142 2143

RACEWAY - MATTE

FX-76





FLAT BLACK / ORANGE XS S M L XL XXL 0104- 2054 2055 2056 2057 2058 2059









FLAT WHITE / GREY XS S M L XL XXL 0104- 2060 2061 2062 2063 2064 2065











FLAT BLACK / GOLD XS S M L XL XXL 0104- 2108 2109 2110 2111 2112 2113



RACEWAY - GLOSS

FX-76





GLOSS DENIM / BONE XS S M L XL XXL 0104- 2114 2115 2116 2117 2118 2119









FLAGS

FX-76



FREEDOM / STEALTH XS S M L XL XXL 0104- 1642 1643 1644 1645 1646 1647











MULTI & SOLID COLOR



The brand name, used herein remain the property of their respective owners. This listing of any brand names is not intended to imply any endorsement or direct affiliation by such brand names and AFX North America Inc.



ROUTE 66 FLAT BLACK XS S M L XL XXL 0104- 1145 1146 1147 1148 1149 1150



 GLOSS MAGNETIC W/ NO CHROME TRIM

 XS
 S
 M
 L
 XL
 XXL

 0104 2096
 2097
 2098
 2099
 2100
 2101



GLOSS BLACK WITH CHROME TRIM XS S M L XL XXL 0104- 1129 1130 1131 1132 1133 1134



FLAT BLACK W/ NO CHROME TRIM XS S M L XL XXL 0104- 1137 1138 1139 1140 1141 1142



FROST GREY W/ NO CHROME TRIM XS S M L XL XXL 0104- 1203 1204 1205 1206 1207 1208



WHITE WITH CHROME TRIM XS S M L XL XXL

0104- 1751 1752 1753 1754 1755 1756

ADULT SCOOTER

AVAILABLE IN YOUTH SIZING, SEE PAGES 88-91



HELMET TECHNOLOGY



SHELL DESIGN

FX-33

A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy



FACE SHIELD

A flush-fit, built in side-cover style face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays

















MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards •A helmet liner made with a hypo-allergenic and anti-microbial moisture wicking nylon, all of which are washable

•Retention system is Microlock (quick release)
•Features a metal ring for secure lock ability
•A clear coat finish to protect paint & graphics
•A large-size FX-33 weighs 0.96 kg or 2.12 lbs.
•Available size: XS-XXL



REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	М	L	XL	XXL
CHEEK PAD THICKNESS (MM)	30	27	24	24	21	18
COMFORT LINER THICKNESS (MM)	9	6	4	12	9	6









VELOCE

FX-33





GLOSS BLACK / BLUE XS S M L XL XXL 0106- 0708 0709 0710 0711 0712 0713

> GLOSS BLACK / RED XS S M L XL XXL 0106- 0714 0715 0716 0717 0718 0719

GLOSS BLACK / SILVER XS S M L XL XXL 0106- 0702 0703 0704 0705 0706 0707

SOLID COLOR

FX-33





FLAT BLACK XS S M L XL XXL 0106- 0654 0655 0656 0657 0658 0659



GLOSS BLACK XS S M L XL XXL 0106- 0660 0661 0662 0663 0664 0665



0106- 0672 0673 0674 0675 0676 0677

 XS
 S
 M
 L
 XL
 XXL

 0106 0678
 0679
 0680
 0681
 0682
 0683

FX-33Y



HELMET TECHNOLOGY



SHELL DESIGN

A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy. This helmet is specifically designed to fit youth and small adults A



FACE SHIELD

A flip-up, flush fit, quick release, single turn screw face shield. The shield itself is optically correct compound curved, scratch-resistant and protects against UV-rays















MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards •A helmet liner made with a hypo-allergenic and anti-microbial moisture wicking nylon, all of which are washable

- •Retention system is Microlock (quick release)
- •Features a metal ring for secure lock ability B
- •A clear coat finish to protect paint & graphics
- •A youth large-size FX-33Y weighs 0.85 kg or 1.80 lbs.
- •Available size: YS, YM AND YL







ROCKET

FX-33Y



FX-33Y





ADULT DUAL SPORT / ADVENTURE **FX-39DS** SNOW DOUBLE LENS SNOW DOUBLE LENS ELECTRIC



HELMET TECHNOLOGY



SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy





R

2

FACE SHIELD

A flush-fit, built in side-cover style face shield

AFX DESIGNED AND PATENTED AMPD[™] FRAMELESS DOUBLE LENS SNOW SHIELD A OR DOUBLE LENS ELECTRIC SNOW SHIELD B that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles

3 VENT

VENTILATION

9 points of ventilation with chin, side, forehead, top and rear vent. 3 intake vents and 6 exhaust vents

VISOR

A removable and adjustable (30mm) screw-on visor. Shield can also be used without the visor. Side cover kit included

ECE 22.05

DOT FMVSS No.218









MAIN SPECIFICATIONS

•This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards

•Retention system is Microlock (quick release)

•CHIN BAR MOUNTED EXTREME SNOW BREATH GUARD

·Provides ample ear cavity space for most speaker systems

•A clear coat finish to protect paint & graphics

•A large-size FX-39DS weighs 1.59 kg or 3.50 lbs.

•Available size: SM-XXL

INCLUDES DOUBLE LENS SHIELD A OR DOUBLE LENS ELECTRIC SHIELD B AND EXTREME SNOW BREATH GUARD D

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE CHEEK PAD THICKNESS (MM) COMFORT LINER THICKNESS (MM)













FX-39DS SNOW DOUBLE LENS SNOW DOUBLE LENS ELECTRIC



GLOSS BLACK W/DOUBLE LENS SHIELD S M L XL XXL 0121- 0535 0536 0537 0538 0539



SNOW ACCESSORIES FX-39DS SNOW DOUBLE LENS SNOW DOUBLE LENS ELECTRIC





FX-39DS AMPD^(TM) DOUBLE LENS SNOW SHIELD PART NUMBER :0130-0459



REPLACEMENT THREE PIECE ELECTRIC CORD SET FOR ALL RCA CONNECTION AFX ELECTRIC SHIELD HELMETS AND SHIELD KITS. PART NUMBER :0133-0518



12 VOLT POWER PLUG UNIVERSAL ADAPTER TO RCA CONNECTION PART NUMBER :2130-0053



FX-39DS EXTREME BREATH GUARD PART NUMBER :0134-1362



FX-39DS VENTED CHIN CURTAIN PART NUMBER :0134-1363



ADULT DUAL SPORT / ADVENTURE

FX-41DS SNOW DOUBLE LENS





HELMET TECHNOLOGY

SHELL DESIGN

An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy

2

FACE SHIELD

A flush-fit, quick release screw on face shield

DOUBLE LENS

AFX DESIGNED AMPD[™] FRAMELESS DOUBLE LENS SNOW SHIELD A that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles

VISOR 3

A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included B

VENTILATION

17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents





INNER SUN SHIELD

Smoke tinted inner flip down sun shield system with left side slide lever















5



MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- Retention system is Microlock (quick release)
- ·Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics
- •A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.
- Available size: SM-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

FIT

HELMET SHELL & EPS SIZE	S	М	L	XL XXL
CHEEK PAD THICKNESS (MM)	34	28	30	24 22
COMFORT LINER THICKNESS (MM)	4	8	8	10 6







REPLACEMENT PARTS PAGE #99, 111, 117



SOLID COLOR

FX-41DS SNOW DOUBLE LENS







FLAT BLACK W/ DOUBLE LENS SHIELD S M L XL XXL 0121-| 0838 0839 0840 0841 0842





GLOSS BLACK W/ DOUBLE LENS SHIELD S M L XL XXL 0121- 0833 0834 0835 0836 0837







SNOW ACCESSORIES

FX-41DS SNOW DOUBLE LENS




FX-41DS WINTER CHIN CURTAIN PART NUMBER :0134-2376

FX-99 & 105 PINLOCK®

FX-99 & FX-105 OUTER LENS SHIELD WITH PINLOCK[®] PINS



PINLOCK 70



FX-99 & 105 PINLOCK[®]70 MAX CUSTOM FIT ANTI-FOG INSERT







CLEAR	0130-0791
LIGHT SMOKE	0130-0792
DARK SMOKE	0130-0793
YELLOW	0130-0794

ACCESSORIES FX-41DS PINLOCK[®]

FX-41DS OUTER LENS SHIELD WITH PINLOCK[®] PINS



7 PINLOCK 70



CLEAR	0130-0828
DARK SMOKE	0130-0829
SILVER MIRROR	0130-0830
GOLD MIRROR	0130-0831

FX-41DS PINLOCK[®]70 MAX CUSTOM FIT ANTI-FOG INSERT







CLEAR	0130-0832
DARK SMOKE	0130-0833
YELLOW	0130-0834

VINTAGE SHIELD AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

UNIVERSAL 3-SNAP MOUNTING
 HARD COATED FOR DURABILITY
 OPTICALLY CORRECT UV TREATED





HELMET IS NOT INCLUDED





HELMET IS NOT INCLUDED



CLEAR PART NUMBER :0131-0075



DARK SMOKE PART NUMBER :0131-0076



YELLOW SOLID PART NUMBER :0131-0077



BLUE SOLID PART NUMBER :0131-0078



SMOKE GRADIENT PART NUMBER :0131-0079



SILVER MIRROR PART NUMBER :0131-0080



GOLD MIRROR PART NUMBER :0131-0081



SHORT SHIELD CLEAR PART NUMBER :0131-0089



SHORT SHIELD DARK SMOKE PART NUMBER :0131-0090



SHORT SHIELD SILVER MIRROR PART NUMBER :0131-0091

UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED 1. UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY OPTICALLY • OPTICALLY • OPTICALLY • OPTICALLY • OPTICALLY • OPTICAL •

SMOKE SHIELD PART NUMBER: 0131-0097

AFX VINTAGE 3-SNAP FLIP BUBBLE SHIELD SPECIFICATIONS & FEATURES

HELMET IS NOT INCLUDED

UNIVERSAL 3-SNAP MOUNTING
 HARD COATED FOR DURABILITY
 OPTICALLY CORRECT UV TREATED



HELMET IS NOT INCLUDED

SMOKE SHIELD PART NUMBER: 0131-0095

VINTAGE 5-SNAP FLAT SHIELD

SPECIFICATIONS & FEATURES

UNIVERSAL 5-SNAP MOUNTING
 HARD COATED FOR DURABILITY
 OPTICALLY CORRECT UV TREATED





CLEAR PART NUMBER :0131-0072



DARK SMOKE PART NUMBER :0131-0073



YELLOW SOLID PART NUMBER :0131-0074



GLOSS BLACK PART NUMBER :0132-1030 DARK SMOKE PART NUMBER :0132-1031 GLOSS WHITE PART NUMBER :0132-1032

AMBER PART NUMBER :0132-1033

HELMET & SHIELD BAG

AFX HELMET BAG

SPECIFICATIONS & FEATURES

- Rip Stop Cordura Nylon
- Plush Anti Scratch Micro Fiber Lining
- Heavy Duty Carrying Handle
- •Two Way Self Healing Coil Zipper
- Inside Storage Pocket
- Anti Slip Waterproof Bottom
- 4 Moisture Vents
- Size 35cm x 30cm x 25cm (14" x 12" x 10")







AFX HELMET & FACE-SHIELD DRAWSTRING STORAGE BAG



AFX HELMET DRAWSTRING BAG 44CM X 54CM (17" X 21") PART NUMBER :3514-0030



PROMOTIONAL MATERIALS

AFX HELMET HOLDER SPECIFICATIONS & FEATURES

- FITS ALL STANDARD SLAT-WALL TYPES
- PACKAGED 6PCS. PER BOX, PER ITEM NUMBER
- MADE FROM IMPACT RESISTANT PLASTIC ALLOY WITH SILVER AFX LOGO
- •DESIGNED TO FIT ALL HELMET TYPES

AFX HELMET HOLDER PART NUMBER :9903-0324









AFX WALL STICKER



AFX WALL STICKER PART NUMBER :9904-1237 80cm (31.5") x 23cm (9")

AFX HEAD MEASUREMENT TOOL



AFX HEAD MEASUREMENT TOOL PART NUMBER :9904-1238

FX-99 REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	SHIELD Ratchet Kit		
	0130-0488	0130-0489	0130-0490	0130-0491		0133-0698	
OUTER SHIELD W/ PINLOCK PINS	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	CHIN CURTAIN	XS-M	L-XXL
6	0130-0787	0130-0788	0130-0789	0130-0790		0134-2371	0134-2372
PINLOCK 70 Anti-Fog insert	CLEAR	LIGHT SMOKE	DARK SMOKE	YELLOW	COLD WEATHER Breath Gurai		L-XXL
	0130-0791	0130-0792	0130-0793	0130-0794		0134-2373	0134-2374
FX-99 Cheek pad set	XS	S	М	L	XL	XXL]
	0134-2359	0134-2360	0134-2361	0134-2362	0134-2363	0134-2364	
FX-99 Comfort liner	XS	S	М	L	XL	XXL	
	0134-2365	0134-2366	0134-2367	0134-2368	0134-2369	0134-2370	

FX-90E REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	SILVER MIRRROR	SHIELD RATCHET K	п	
9	0130-0288	0130-0289	0130-0290		0133-0386	
FX-90 Cheek pad set	XS	S	М	L	XL	XXL
V V	0134-0904	0134-0905	0134-0906	0134-0907	0134-0908	0134-0909
FX-90 Comfort liner	XS	S	М	L	XL	XXL
	0134-0910	0134-0911	0134-0912	0134-0913	0134-0914	0134-0915

FX-105 REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR		eld Iet kit		
)	0130-0488	0130-0489	0130-0490	0130-0491			0133-069	8
CHEEK PAD SET	XS	S	М	L	XL		XXL	
	0134-1970	0134-1971	0134-1972	0134-1973	0134-19	974	0134-1975	
INNER FLIP Down Shield	DARK SMOKE	SILVER MIRROR	CHIN Curtain	XS-M	L-XXL		BREATH Flector	
3	0130-0492	0130-0493		0134-1962	0134-2037			0134-1963

FX-78 REPLACEMENT PARTS

CHEEK PAD SET	XS	S	М	L	XL	XXL
r1	0134-2486	0134-2487	0134-2488	0134-2489	0134-2490	0134-2491

FX-111 REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	SILVER MIRROR	BLUE MIRROR	INNER FL Down Shie	I SMILK	Æ
	0130-0835	0130-0836	0130-0837	0130-0838		0130-08	339
CHEEK PAD SET	XS	S	М	L	XL	XXL	
LJ	0134-2511	0134-2512	0134-2513	0134-2514	0134-2515	0134-2516	
SHIELD Ratchet kit		CHIN BAR PIVOT KIT		CHIN Curtain		BREATH DEFLECTOR	
	0133-1111	00 4 4	0133-1112		0134-2518		0134-2517

FX-95 REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	DARK SMOKE	SILVER MIRROR	BLUE MIRROR	GOLD MIRRROR
	0130-0233	0130-0234	0130-0235	0130-0236	0130-0237	0130-0238
CHEEK PAD SET	XS	S	М	L	XL	XXL



FX-24 REPLACEMENT PARTS

OUTER Shield	CLEAR	DARK SMOKE	SILVER MIRROR	SHIELD Ratchet Kit		BREATH DEFLECTOR	
	0130-0589	0130-0590	0130-0591		0133-0870		0134-1806
CHEEK PAD SET	XS	S	М	L	XL	XXL	

FX-36 REPLACEMENT PARTS

OUTER Shield	CLEAR	DARK SMOKE	SILVER MIRROR	INNER FLIP Down Shield	DARK SMOK	E
200	0130-0592	0130-0593	0130-0594	1	0130-0595	
CHEEK PAD SET	XS	S	М	L	XL	XXL
60	0134-1814	0134-1815	0134-1816	0134-1817	0134-1818	0134-1819
SHIELD Ratchet Kit		CHIN BAR PIVOT KIT		BREATH DEFLECTOR		
9000	0133-1004	99	0133-0871	1	0134-1807	

FX-39DS REPLACEMENT PARTS

REPLACEMENT PEAK	SOLID Color	VELETA		OUTER Shield	OPTIONAL OUTER SUN SHIELD		CHEEK PAD Set
					\mathbf{i}		^
FLAT BLACK	0132-0573		CLEAR STANDARD	0130-0400		xs	0134-1223
GLOSS BLACK	0132-0572	0132-1043	LIGHT SMOKE	0130-0401	0130-0442	s	0134-1224
FROST GRAY	0132-0852		DARK SMOKE	0130-0402	0130-0443	м	0134-1225
ORANGE		0132-1046	SILVER MIRROR	0130-0403	0130-0444	L	0134-1226
RED		0132-1045	GOLD MIRROR		0130-0445	XL	0134-1227
BRIGHT GREEN		0132-1060	PEAK SCREW SET	SHIELD RATCHET W/ SIDE COVER	SHIELD Ratchet kit	XXL	0134-1228
			• • • •				

0133-0604

0133-0603

0133-0602

FX-41DS REPLACEMENT PARTS

0133-0751

0133-0752

0134-1838

REPLACEMENT PEAK	SOLID Color	EIGER	AT	MARPAT		OUTER Shield	INNER FLIP Down Shield
				G			
FLAT BLACK	0132-0776				CLEAR STANDARD	0130-0501	0130-0665
GLOSS BLACK	0132-0777				LIGHT SMOKE	0130-0502	0130-0507
PEARL WHITE	0132-0778				DARK SMOKE	0130-0503	0130-0506
SILVER		0132-1034			SILVER MIRROR	0130-0504	
FROST GRAY	0132-0780				GOLD MIRROR	0130-0505	
SAFETY ORANGE	0132-0781					CHEEK PAI)
MARPAT				0132-0924		SET	
RED		0132-1036					
BLK/WHITE/RED			0132-1059				
WHITE/BLUE/RED			0132-1041				_
FROST GREY/ NEON ORANGE		0132-1193			XS	0134-151	6
					S	0134-151	7
					М	0134-151	В
PEAK SCREW	SHIELD RATCHET				L	0134-151	9
SET	KIT	CHIN CURTAIN			XL	0134-152	D
	1100				XXL	0134-152 ⁻	1
.11	· 🖉 🏊 '						

FX-21 REPLACEMENT PARTS

REPLACEMENT PEAK	SOLID Color
FLAT BLACK	0132-0764
WHITE	0132-0875
RED/WHITE/BLUE	
BLACK/YELLOW/ Blue	

	CHEEK PAD Set	PEAK SCREW SET
	11-	004
XS	0134-1510	0133-0750
s	0134-1511	
м	0134-1512	
L	0134-1513	
XL	0134-1514	
XXL	0134-1515	

FX-17/FX-17YE REPLACEMENT PARTS

	CHEEK	PAD SET			COMFOR	rt liner	
	STANDARD Black	MAINLINE SAFETY ORANGE	MAINLINE BLUE		STANDARD Black	MAINLINE SAFETY ORANGE	MAINLINE BLUE
	~~	>>	**				T
XS	0134-0805	0134-1826	0134-1988	XS	0134-1909	0134-1832	0134-2018
S	0134-0806	0134-1827	0134-1989	s	0134-1910	0134-1833	0134-2019
м	0134-0807	0134-1828	0134-1990	М	0134-1911	0134-1834	0134-2020
L	0134-0808	0134-1829	0134-1991	L	0134-1912	0134-1835	0134-2021
XL	0134-0809	0134-1830	0134-1992	XL	0134-1913	0134-1836	0134-2022
XXL	0134-0810	0134-1831	0134-1993	XXL	0134-1914	0134-1837	0134-2023
YOUTH S	0134-0811			YOUTH S	0134-0814		
YOUTH M	0134-0812			YOUTH M	0134-0815		
YOUTH L	0134-0813			YOUTH L	0134-0816		



FX-17/FX-17YE REPLACEMENT PARTS - REPLACEMENT PEAK

REPLACEMENT PEAK	FACTOR Matt	FACTOR GLOSS	WORKS	FLAG / Freedom
			E	
FLAT BLACK			0132-0953	
GLOSS BLACK			0132-0954	0132-0522
FUCHSIA	0132-0931	0132-0938	0132-0955	
SILVER		0132-0941		
BLUE			0132-0952	
RED	0132-0930	0132-0936	0132-0951	
GREEN		0132-0939		
YELLOW	0132-0935	0132-0942		
SAFETY ORANGE	0132-0933	0132-0940	0132-0956	
STEALTH				0132-0521
WHITE	0132-0934			0132-0523
LIGHT BLUE		0132-0937		















FACTOR COMPLEX









FX-17/FX-17YE REPLACEMENT PARTS - REPLACEMENT PEAK



ROCKET





FX-50 REPLACEMENT PARTS

	PEAK SOLID Color	PEAK Signal				
FLAT BLACK	0132-0553					
GLOSS BLACK	0132-0552					
PEARL WHITE	0132-0554					
SILVER		0132-1052				
WINE RED	0132-0556					
RED		0132-1054				
BRIGHT GREEN		0132-1056				
WHITE/GREEN/RED		0132-1057				
ORANGE		0132-1061				

	SIDE COVER KIT
FLAT BLACK	0133-0580
GLOSS BLACK	0133-0579
PEARL WHITE	0133-0581
WINE RED	0133-0583

	CHEEK PAD Set		
	\$		
XS	0134-1215		
S	0134-1216		
М	0134-1217		
L	0134-1218		
XL	0134-1219		
XXL	0134-1220		

	OUTER Shield	INNER FLIP Down Shield
	7	Ğ
CLEAR STANDARD	0130-0395	
LIGHT SMOKE	0130-0396	
DARK SMOKE	0130-0397	0130-0399
SILVER MIRROR	0130-0398	

RATCHET KIT	
- O	
0133-0578	

FX-46 REPLACEMENT PARTS

OUTER Shield	CLEAR	DARK SMOKE	SILVER MIRROR
	0130-0596	0130-0597	0130-0598



SIDE COVER REFLECTOR SET

0133-0585

CHEEK PAD SET	XS	S	М	L	XL	XXL
	0134-1820	0134-1821	0134-1822	0134-1823	0134-1824	0134-1825

FX-33 REPLACEMENT PARTS

OUTER Shield	CLEAR	SMOKE	DARK SMOKE	SILVER MIRROR	BLUE MIRROR	GOLD MIRROR
0	0130-0641	0130-0642	0130-0643	0130-0644	0130-0645	0130-0646

CHIN STRAP CUSHION COVER	SHIELD RATCHET KIT (METAL)
0134-1961	0133-0936

CHEEK PAD SET	XS	S	М	L	XL	XXL
	0134-1964	0134-1965	0134-1966	0134-1967	0134-1968	0134-1969

FX-33Y REPLACEMENT PARTS

OUTER Shield	CLEAR DARK SMOKE		SILVER MIRROR	
	0130-0600	0130-0601	0130-0602	



SNOW SHIELDS BREATH GUARD & CHIN CURTAIN

NOTE: TO CONVERT EXISTING FX-99, FX-90E, FX-105, FX-41DS AND FX-39DS HELMETS TO SNOW HELMETS: **CHOOSE SHIELD TYPE AND BREATH GUARD.**

FOR FX-90E



FOR FX-99, FX-105

FX-90E AMPD DOUBLE LENS SNOW SHIELD PART NUMBER :0130-0354

FX-99, FX-105 AMPD DOUBLE LENS

PART NUMBER :0130-0494

FX-39DS AMPD DOUBLE LENS

FX-41DS DOUBLE LENS SNOW SHIELD

PART NUMBER :0130-0603



SNOW SHIELD

DOUBLE LENS

SNOW SHIELD



FX-90E ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER :0130-0355



FX-99, FX-105 AMPD ELECTRIC **DOUBLE LENS SNOW SHIELD** PART NUMBER :0130-0496



FX-39DS AMPD ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER :0130-0460



FOR FX-105



EXTREME BREATH GUARD (XS-M) PART NUMBER :0134-1785

EXTREME BREATH GUARD (L-XXL) PART NUMBER :0134-1799

FOR FX-21, FX-39DS & FX-41DS (XS-M)



EXTREME BREATH GUARD PART NUMBER :0134-1362

FOR FX-17, FX-17YE & FX-41DS (L-XXL)



EXTREME BREATH GUARD PART NUMBER :0134-1214



REPLACEMENT THREE PIECE ELECTRIC CORD SET FOR ALL RCA CONNECTION AFX ELECTRIC SHIELD HELMETS AND SHIELD KITS. PART NUMBER :0133-0518



12 VOLT POWER PLUG UNIVERSAL ADAPTER TO RCA CONNECTION PART NUMBER :2130-0053

PART NUMBER :0130-0459 DOUBLE LENS



FOR FX-39DS



FOR FX-90E



HI-FLOW BREATH GUARD PART NUMBER :0134-1061

DOUBLE LENS

FOR FX-17, FX-17YE



HI-FLOW BREATH GUARD PART NUMBER :0134-1060

FOR FX-17, FX-17YE FX-19, FX-21 & FX-39DS

VENTED CHIN CURTAIN

PART NUMBER :0134-1363

AFX HELMET FEATURE ICONS



Helmet Retention System Is Race Approved Double D- Ring



This Off-Road / ATV Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



Helmet Retention System Is Race Approved Ultra Lightweight Strength Titanium Double D-Ring



This Youth Off-Road / ATV Helmet Features A Smaller Size Outer Shell Designed For Superior Fit And Comfort For Smaller Head Sizes



Helmet Retention System Is Microlock Quick Release



This Open Face / JET Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



Helmet Shell Is Made From Advanced Lightweight Composite Poly Alloy



This Youth Helmet Features A Smaller Size Outer Shell Designed For Superior Fit And Comfort For Smaller Head Sizes



Helmet Shell Is Made From Lightweight Fiberglass Reinforced Polymer



Helmet Features Patented Advanced In-Molded & Cone-Head Ultra Lightweight Shell & EPS Exoskeleton Protection System



This Full Face Street Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



Helmet Features Patented Advanced Ultra Lightweight Cone-Head EPS Protection System



This Dual Sport / Adventure Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Four Inner EPS Sizes For Superior Fit And Comfort



This Helmet Features Three Inner EPS Sizes For Superior Fit And Comfort



This Helmet Features The Abilty To Custom Size The Final Fit With Removable Interchangeable Cheek Pads And Comfort Liners



This Helmet Features Two Inner EPS Sizes For Superior Fit And Comfort



AFX 1=3 Youth Liner / Cheek Pad Custom Fit System



This Youth Helmet Features A Smaller Size EPS Designed For Superior Fit And Comfort For Smaller Head Sizes



This Helmet Features A Hand Washable Cheek Pad And Comfort Liner



This Dual / Adventure Helmet Features A Drop Down Inner Sun Shield



AFX X-Flow High Volume Air Flow Ventilation System



This Full Face Helmet Features A Drop Down Inner Sun Shield



There Are Replaceable And Optional Parts Available For This Helmet



This Open Face / JET Helmet Features A Drop Down Inner Sun Shield



Face Shield Is A Dual Lens Thermal Pane Design, For Use In Cold Weather Conditions



This Open Face Helmet Features A Drop Down Inner Sun Shield



Face Shield Is A Electrically Heated Dual Lens Thermal Pane Design, For Use In Extreeme Cold And Freezing Weather Conditions

AFX HELMET FIT AND SIZE GUIDE HOW TO FIND THE RIGHT FITTING HELMET FOR YOUR HEAD SHAPE

To properly choose a helmet fit, there are three important points of criteria that need to be examined in order for you to choose the helmet that fits you best.

1. Head Shape

The shape of the riders head is more important then the measured size of the riders head. Head shape can be determined by many factors including genetics and ethnic origin. However its important to note that there is no universal perfect head shape that is used for all models of helmets. Some helmets are designed for a functionality that dictates the final shape and fit of the helmet in question.

AFX helmets can be grouped into these three main fit categories: slightly narrow fit, neutral fit, and slightly round fit.

- Slightly Narrow Fit, helmets in this head shape may feel a little tighter on the left and right sides of the riders head.
- Neutral Fit, helmets in this head shape tend to fit a majority of riders.
- Slightly Round Fit, helmets in this head shape may feel a little tighter on the front and back sides of the head for some riders.

Please refer to the AFX helmet fit shape explanation

2. Size Measurement

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear.

Please refer to the AFX helmet sizing chart

3. Comfort and Fit

Helmets must fit snugly, but not painfully tight. While holding the chinstraps outside of the helmet, pull it down over your head, taking care that the chinstraps do not go up inside the helmet. A proper-fitting helmet will feel snug with fairly even pressure around the sides and top of your head. On most modern helmets the liner and cheek pads are designed to be a little extra snug at first, but will break-in after several hours of riding to match the particular shape of your head. If you are not familiar with how a helmet should fit and feel, be sure to ask for assistance from a more experienced rider. As a rule, the helmet should not be able to move around on your head without pulling on your skin. A loose fitting helmet is not only dangerous, but may also be noisy and tiring to wear. Most people make the mistake of buying a helmet that's too large. IMPORTANT: Make sure that you fasten the chinstrap securely beneath your chin when trying-on a helmet and then test to see that the helmet cannot be removed from your head when fastened in that manner.

Note: Most AFX helmets offer some degree of comfort and fit customization by being able to interchange combinations of comfort liners and cheek pads within the helmet shell size range. For a more detailed explanation of this feature please refer to the owners manual included with your helmet or visit afxhelmets.com.


AFX HELMET HEAD FIT SHAPE



SLIGHTLY NARROW FIT

HELMETS IN THIS HEAD SHAPE MAY FEEL A LITTLE TIGHTER ON THE LEFT AND RIGHT SIDES OF THE HEAD FOR SOME PEOPLE SLIGHTLY NARROW FIT AFX HELMETS

FX-105




NEUTRAL FIT

HELMETS IN THIS HEAD SHAPE WILL FIT A MAJORITY OF PEOPLE

NEUTRAL FIT AFX HELMETS

FX-17, FX-21, FX-39DS, FX-41DS, FX-76, FX-90E, FX-99, FX-78, FX-111, FX-79.



SLIGHTLY ROUND FIT

HELMETS IN THIS HEAD SHAPE MAY FEEL A LITTLE TIGHTER ON THE FRONT AND BACK SIDES OF THE HEAD FOR SOME PEOPLE

SLIGHTLY ROUND FIT AFX HELMETS

FX-33, FX-33Y, FX-46, FX-50

AFX HELMET SIZING FIT CHART NOTE: THIS CHART IS FOR REFERENCE ONLY

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear.

Centimeters	Inches	Hat Size	Letter size	AFX size
48	19	6	Youth Small	Y-S
49	19 3/8	6 1/8	Youth Small	Y-S
50	19 3/4	6 1/4	Youth Medium	Y-M
51	20 1/8	6 3/8	Youth Medium	Y-M
52	20 1/2	6 1/2	Youth Large	Y-L
53*	20 7/8	6.625*	Youth Large*	Y-L*
53*	20 7/8	6.625*	Adult XS*	XS*
54	21 1/4	6 3/4	Adult XS	XS
55	21 5/8	6 7/8	Adult Small	S
56	22	7	Adult Small	S
57	22 3/8	7 1/8	Adult Medium	М
58	22 3/4	7 1/4	Adult Medium	М
59	23 1/8	7 3/8	Adult Large	L
60	23 1/2	7 1/2	Adult Large	L
61	24	7 5/8	Adult X-Large	XL
62	24 3/8	7 3/4	Adult X-Large	XL
63	24 3/4	7 7/8	Adult XX-Large	XXL
64	25 1/8	8	Adult XX-Large	XXL

Note: * Due to size fit similarities between Youth large and Adult X-Small Helmets in the sizes noted above, It is the Parents /Guardians responsibility to determine if a Youth Rider may safely and comfortably wear an Adult sized helmet.

SAFETY

WHEN TO REPLACE A HELMET

The expected lifespan of any helmet is 4-5 years of seasonal use, and decreases accordingly as the frequency of use increases. As you would expect, helmets used for competition such as road racing and motocross tend to have a much shorter life span. The more exposure a helmet endures to the elements, body oils, and perspiration, the faster it will wear out. In most cases the helmet liner will be the first component to wear out and, as such, functions as a good indicator that a helmet should be replaced.

We at AFX recommend that any helmet suffering a significant impact to the shell be removed from use immediately, whether there is visible physical damage or not. A helmet is designed to deform in an accident in order to absorb the energy of the impact, and should never be reused afterwards for its ability to protect the rider further could be compromised.

SAFETY REMINDER

No helmet can protect the wearer against all possible or foreseeable impacts. A helmet can only protect the portion of the head that is covered by the helmet. For maximum protection, the helmet must be well fitted with the chinstrap securely fastened. Failure to follow these instructions, the instructions printed on the helmet, and those contained in the owner's manual may result in the possibility of the helmet coming off during an accident - possibly resulting in a severe head injury or even death. While riding motorcycles, scooters, ATVs and snowmobiles is fun, it can also be a dangerous pastime. At AFX, we encourage you to enjoy riding responsibly, and to always ride within the limits of your abilities.





www.partseurope.eu





© Copyright 2018-2019, AFX North America Inc. Helmet specifications subject to change without notice. Please consult our web site (afxhelmets.com) for the most current product information. PRINTED IN GERMANY



POLY-ALLOY

9901-2328