



HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength
- INTERIOR
 A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination
- CONE-HEAD EPS
 Advanced Cone-Head ® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head
- 4 Universal 5 snap placement for accesory shieds



SEE PAGE 24 FOR 5-Snap Flat Shields















A INTERIOR (LINER AND CHEEK PADS)



MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •3 snap shield/visor compatible. shield/visor not included with helmet
- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- ·A clear coat finish to protect paint & graphics
- •A XS size FX-78 weighs 1.0 kg or 2.20 lbs, A XL size FX-78 weighs 1.1 kg or 2.42 lbs
- Available size: XS-XXL

HELMET SHELL & EPS SIZE	XS	S	M	L	XL	XXL
CHEEK PAD THICKNESS (MM)	25	20	15	25	20	15



















ADULT VINTAGE OPEN-FACE / JET WITH INNER SHIELD

FX-79



HELMET TECHNOLOGY

- SHELL DESIGN
 An advanced aerodynamic shell design constructed using thermoplastic poly-alloy
- INTERIOR

 A helmet liner and cheek pads made with a hypo-allergenic and anti-microbial nylon
- INNER SUN SHIELD
 Smoke tinted inner flip down sun shield system with center slide lever

MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •3 snap shield/visor compatible. shield/visor not included with helmet
- Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics
- •A XS size FX-79 weighs 1.0 kg or 2.20 lbs, A XL size FX-79 weighs 1.1 kg or 2.42 lbs
- Available size: XS-XXL

























XS S M L XL XXL 0104 2402 2403 2404 2405 2406 2407











HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength
- A quilted helmet liner and cheek pads made with hypo-allergenic and anti-microbial nylon and perforated leather combination
- CONE-HEAD EPS
 Advanced Cone-Head ® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head















A INTERIOR (LINER AND CHEEK PADS)





MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •3 snap shield/visor compatible. shield/visor not included with helmet
- •Retention system is a race approved Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics
- •A XS size FX-76 weighs 0.8 kg or 1.76 lbs, A XL size FX-76 weighs 1.0 kg or 2.2 lbs
- Available size: XS-XXL

Vintage 3-Snap Shields see page 22-23

Vintage 3-Snap Visors (Peaks) see page 26-27





















GLOSS ORANGE / BLUE / BEIGE
XS S M L XL XXL
0104- 2324 2325 2326 2327 2328 2329









| XS | S | M | L | XL | XXL | XXL | 0104- | 2072 | 2073 | 2074 | 2075 | 2076 | 2077











































GLOSS DARK GREEN / GOLD

XS S M L XL XXL

0104- 2132 2133 2134 2135 2136 2137







GLOSS BLACK / GOLD

XS S M L XL XXL

0104- 2138 2139 2140 2141 2142 2143











XS S M L XL XXL
0104- 2054 2055 2056 2057 2058 2059













FLAT BLACK / GOLD

XS S M L XL XXL

0104- 2108 2109 2110 2111 2112 2113

































0104- 1837 1838 1839 1840 1841 1842

The brand name, used herein remain the property of their respective owners. This listing of any brand names is not intended to imply any endorsement or direct affiliation by such brand names and AFX North America Inc.







ROUTE 66 FLAT BLACK

XS S M L XL XXL

0104- 1145 1146 1147 1148 1149 1150

GLOSS MAGNETIC W/ NO CHROME TRIM

XS S M L XL XXL

0104- 2096 2097 2098 2099 2100 2101



GLOSS BLACK WITH CHROME TRIM

XS S M L XL XXL

0104- 1129 1130 1131 1132 1133 1134



FLAT BLACK W/ NO CHROME TRIM

XS S M L XL XXL

0104- 1137 1138 1139 1140 1141 1142



FROST GREY W/ NO CHROME TRIM

XS S M L XL XXL

0104- 1203 1204 1205 1206 1207 1208



CANDY APPLE WITH CHROME TRIM

XS S M L XL XXL

0104- 1622 1623 1624 1625 1626 1627



WHITE WITH CHROME TRIM

XS S M L XL XXL

0104- 1751 1752 1753 1754 1755 1756

VINTAGE SHIELD

AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED





HELMET IS NOT INCLUDED

CLEAR PART NUMBER: 0131-0075





DARK SMOKE PART NUMBER: 0131-0076

YELLOW SOLID PART NUMBER: 0131-0077









BLUE SOLID SMOKE GRADIENT PART NUMBER :0131-0078 PART NUMBER:0131-0079

SILVER MIRROR PART NUMBER: 0131-0080

GOLD MIRROR PART NUMBER: 0131-0081

AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

UNIVERSAL 3-SNAP MOUNTING
 HARD COATED FOR DURABILITY
 OPTICALLY CORRECT UV TREATED





HELMET IS NOT INCLUDED

SHORT SHIELD CLEAR PART NUMBER: 0131-0089





SHORT SHIELD DARK SMOKE PART NUMBER: 0131-0090

SHORT SHIELD SILVER MIRROR PART NUMBER: 0131-0091



VINTAGE SHIELD

AFX VINTAGE 3-SNAP FLIP SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED



HELMET IS NOT INCLUDED



AFX VINTAGE 3-SNAP FLIP BUBBLE SHIELD

SPECIFICATIONS & FEATURES


• UNIVERSAL 3-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED



VINTAGE 5-SNAP FLAT SHIELD

SPECIFICATIONS & FEATURES

• UNIVERSAL 5-SNAP MOUNTING • HARD COATED FOR DURABILITY • OPTICALLY CORRECT UV TREATED





CLEAR
PART NUMBER :0131-0072



DARK SMOKE PART NUMBER :0131-0073



YELLOW SOLID PART NUMBER :0131-0074

AFX HELMET HOLDER

SPECIFICATIONS & FEATURES

- FITS ALL STANDARD SLAT-WALL TYPES
- PACKAGED 6PCS. PER BOX, PER ITEM NUMBER
- MADE FROM IMPACT RESISTANT PLASTIC ALLOY WITH SILVER AFX LOGO









AFX WALL STICKER



AFX WALL STICKER
PART NUMBER :9904-1237
80cm (31.5") x 23cm (9")

AFX HEAD MEASUREMENT TOOL



AFX HEAD MEASUREMENT TOOL PART NUMBER :9904-1238

VINTAGE SNAP ON VISORS (PEAKS)

3-SNAP SHORT WITH LIP



AMBER
PART NUMBER :0132-1018



DARK SMOKE
PART NUMBER :0132-1016



3-SNAP VINTAGE MX WITH 3 VENTS



DARK SMOKE PART NUMBER :0132-1020



GLOSS BLACK PART NUMBER :0132-1019



GLOSS WHITE PART NUMBER :0132-1021



AMBER
PART NUMBER :0132-1022

VINTAGE SNAP ON VISORS (PEAKS)

3-SNAP VINTAGE MX WITH 4 VENTS



GLOSS BLACK PART NUMBER: 0132-1023



DARK SMOKE PART NUMBER: 0132-1024



GLOSS WHITE PART NUMBER: 0132-1025





AMBER PART NUMBER: 0132-1029



DARK SMOKE PART NUMBER: 0132-1027



3-SNAP VINTAGE MX NON VENTED



DARK SMOKE PART NUMBER: 0132-1031



PART NUMBER: 0132-1030

GLOSS WHITE PART NUMBER: 0132-1032

AMBER PART NUMBER: 0132-1033

AFX HELMET FIT AND SIZE GUIDE

HOW TO FIND THE RIGHT FITTING HELMET FOR YOUR HEAD SHAPE

To properly choose a helmet fit, there are three important points of criteria that need to be examined in order for you to choose the helmet that fits you best.

1. Head Shape

The shape of the riders head is more important then the measured size of the riders head. Head shape can be determined by many factors including genetics and ethnic origin. However its important to note that there is no universal perfect head shape that is used for all models of helmets. Some helmets are designed for a functionality that dictates the final shape and fit of the helmet in question.

AFX helmets can be grouped into these three main fit categories: slightly narrow fit, neutral fit, and slightly round fit.

- Slightly Narrow Fit, helmets in this head shape may feel a little tighter on the left and right sides of the riders head.
- Neutral Fit, helmets in this head shape tend to fit a majority of riders.
- Slightly Round Fit, helmets in this head shape may feel a little tighter on the front and back sides of the head for some riders.

Please refer to the AFX helmet fit shape explanation

2. Size Measurement

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear.

Please refer to the AFX helmet sizing chart

3. Comfort and Fit

Helmets must fit snugly, but not painfully tight. While holding the chinstraps outside of the helmet, pull it down over your head, taking care that the chinstraps do not go up inside the helmet. A proper-fitting helmet will feel snug with fairly even pressure around the sides and top of your head. On most modern helmets the liner and cheek pads are designed to be a little extra snug at first, but will break-in after several hours of riding to match the particular shape of your head. If you are not familiar with how a helmet should fit and feel, be sure to ask for assistance from a more experienced rider. As a rule, the helmet should not be able to move around on your head without pulling on your skin. A loose fitting helmet is not only dangerous, but may also be noisy and tiring to wear. Most people make the mistake of buying a helmet that's too large. IMPORTANT: Make sure that you fasten the chinstrap securely beneath your chin when trying-on a helmet and then test to see that the helmet cannot be removed from your head when fastened in that manner.

Note: Most AFX helmets offer some degree of comfort and fit customization by being able to interchange combinations of comfort liners and cheek pads within the helmet shell size range. For a more detailed explanation of this feature please refer to the owners manual included with your helmet or visit afxhelmets.com.

AFX HELMET HEAD FIT SHARP




SLIGHTLY NARROW FIT

HELMETS IN THIS HEAD SHAPE MAY FEEL A LITTLE TIGHTER ON THE LEFT AND RIGHT SIDES OF THE HEAD FOR SOME PEOPLE

SLIGHTLY NARROW FIT AFX HELMETS

FX-105




NEUTRAL FIT

HELMETS IN THIS HEAD SHAPE WILL FIT A MAJORITY OF PEOPLE

NEUTRAL FIT AFX HELMETS

FX-17, FX-21, FX-39DS, FX-41DS, FX-76, FX-90E, FX-99, FX-78, FX-111, FX-79.



SLIGHTLY ROUND FIT

HELMETS IN THIS HEAD SHAPE MAY FEEL A LITTLE TIGHTER ON THE FRONT AND BACK SIDES OF THE HEAD FOR SOME PEOPLE

SLIGHTLY ROUND FIT AFX HELMETS

FX-33, FX-33Y, FX-46, FX-50

AFX HELMET SIZING FIT CHART

NOTE: THIS CHART IS FOR REFERENCE ONLY

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear.

Centimeters	Inches	Hat Size	Letter size	AFX size
48	19	6	Youth Small	Y-S
49	19 3/8	6 1/8	Youth Small	Y-S
50	19 3/4	6 1/4	Youth Medium	Y-M
51	20 1/8	6 3/8	Youth Medium	Y-M
52	20 1/2	6 1/2	Youth Large	Y-L
53*	20 7/8	6.625*	Youth Large*	Y-L*
53*	20 7/8	6.625*	Adult XS*	XS*
54	21 1/4	6 3/4	Adult XS	XS
55	21 5/8	6 7/8	Adult Small	S
56	22	7	Adult Small	S
57	22 3/8	7 1/8	Adult Medium	M
58	22 3/4	7 1/4	Adult Medium	M
59	23 1/8	7 3/8	Adult Large	L
60	23 1/2	7 1/2	Adult Large	L
61	24	7 5/8	Adult X-Large	XL
62	24 3/8	7 3/4	Adult X-Large	XL
63	24 3/4	7 7/8	Adult XX-Large	XXL
64	25 1/8	8	Adult XX-Large	XXL

Note: * Due to size fit similarities between Youth large and Adult X-Small Helmets in the sizes noted above, It is the Parents /Guardians responsibility to determine if a Youth Rider may safely and comfortably wear an Adult sized helmet.

SAFETY

WHEN TO REPLACE A HELMET

The expected lifespan of any helmet is 4-5 years of seasonal use, and decreases accordingly as the frequency of use increases. As you would expect, helmets used for competition such as road racing and motocross tend to have a much shorter life span. The more exposure a helmet endures to the elements, body oils, and perspiration, the faster it will wear out. In most cases the helmet liner will be the first component to wear out and, as such, functions as a good indicator that a helmet should be replaced.

We at AFX recommend that any helmet suffering a significant impact to the shell be removed from use immediately, whether there is visible physical damage or not. A helmet is designed to deform in an accident in order to absorb the energy of the impact, and should never be reused afterwards for its ability to protect the rider further could be compromised.

SAFETY REMINDER

No helmet can protect the wearer against all possible or foreseeable impacts. A helmet can only protect the portion of the head that is covered by the helmet. For maximum protection, the helmet must be well fitted with the chinstrap securely fastened. Failure to follow these instructions, the instructions printed on the helmet, and those contained in the owner's manual may result in the possibility of the helmet coming off during an accident - possibly resulting in a severe head injury or even death. While riding motorcycles, scooters, ATVs and snowmobiles is fun, it can also be a dangerous pastime. At AFX, we encourage you to enjoy riding responsibly, and to always ride within the limits of your abilities.

