

ADULT FULL-FACE

ADULT DUAL SPORT / ADVENTURE





ADULT OPEN-FACE / JET, WITH FACE SHIELD

ADULT HALF HELMET







FX-200 PAGE 28-31



FX-200 SLICK PAGE 32-33

FX-88 PAGE 34-35

SNOW HELMETS

SNOW ACCESSORIES



FX-41DS SNOW PAGE 36-39



SNOW SHIELD AND ACCESSORIES PAGE 39, 46

GOGGLE



SKY PILOT PAGE 42



BOUNTY HUNTER PAGE 43

REPLACEMENT PARTS



REPLACEMENT PARTS PAGE 41-41, 46-47

AFX HELMET FEATURE ICONS



Helmet Retention System Is Race Approved Double D- Ring



Helmet Retention System Is Microlock Quick Release



Helmet Retention System Is Race Approved Ultra Lightweight Strength Titanium Double D-Ring



Helmet Shell Is Made From Advanced Lightweight Composite Poly Alloy



Helmet Shell Is Made From Lightweight Fiberglass Reinforced Polymer



This Full Face Street Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Dual Sport / Adventure Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Half Helmet Features Two Outer Shell Sizes For Superior Fit And Comfort



This Helmet Features Four Inner EPS Sizes For Superior Fit And Comfort



This Half Helmet Features Patented Advanced Ultra Lightweight Cone-Head EPS Protection System



This Helmet Features Two Inner EPS Sizes For Superior Fit And Comfort



This Half Helmet Features Two Inner EPS Sizes For Superior Fit And Comfort



This Helmet Features Specific Cheek Pad and or

Comfort Liner Relief That Makes It More Compatible

to Riders That Wear Glasses



This Helmet Features Specific Design Details That Allow for Easy Installation of Most Communication Systems With out any Modification to the HelmetsProtection Liner or Ear Cavity Area.



This Helmet Features Specific Design Details in the Cheek Pad and Comfort Liner for Unparalleled Secure and Comfortable Fit for a Diversity of Head Shapes and Sizes.



This Dual / Adventure Helmet Features A Drop Down Inner Sun Shield



This Helmet Features an Optical Clarity Level One Inner and Outer Face Shield. The Outer Face Shield Also Incorporates an Integrated Air Dam for More Efficient Airflow With Enhanced Quietness and LessWind Turbulence



This Half Helmet Features Our Patented Dual Inner Lens System With A Drop Down Inner Sun Shield And A Drop Down Inner Clear Shield



This Helmet Features an Optical Clarity Level One Pull Down Inner and Outer Face Shield



This Helmet Features The Abilty To Custom Size The Final Fit With Removable Interchangeable Cheek Pads And Comfort Liners



This Helmet Features A Hand Washable Cheek Pad And Comfort Liner



There Are Replaceable And Optional Parts Available For This Helmet



Face Shield Is A Dual Lens Thermal Pane Design, For Use In Cold Weather Conditions



NOTE: SEE PAGE 40 & 46 FOR PINLOCK $^{\circledR}$ 70 ANTI-FOG INSERT

HELMET TECHNOLOGY

SHELL DESIGN

An aerodynamic shell design constructed using an advanced ultra light weight polly-alloy for light weight and strength

FACE SHIELD

A flush-fit, side-coverless face shield that is optically correct, compound-curved, scratch-resistant and Pinlock®70 Prepared that protects against UV-rays.

COLD WEATHER VERSION

Available with the edition of double lens or double lens electric shields and snap in winter breath guard

- QUICK RELEASE RATCHET
 Quick release shield ratchet system
- VENTILATION

 10 points of ventilation with chin, forehead, top and rear vent. 4 intake vents and 6 exhaust vents

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is a race approved Titanium Double D-RING
- •Provides ample ear cavity space for most speaker systems
- •There are 3 tinted shields available for this model
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-99 weighs 1.37 kg or 3.00 lbs.

Available size: XS-XXL

NOTE: SEE PAGE 40 FOR THE PINLOCK[®] SHIELDS


NOTE: SEE PAGE 46 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and antimicrobial moisture wicking nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.









































XS S M L XL XXL
0101 11101 11102 11103 11104 11105 N/A































L XL XXL M 0101 N/A 11126 11127 11128 11129 11130













XS S M L XL XXL
0101 N/A 11141 11142 11143 11144 11145





















- SHELL DESIGN
 An aerodynamic shell design constructed using an advanced lightweight composite poly-alloy
- PACE SHIELD
 A flush-fit, quick release screw on face shield that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles
- VISOR
 A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included A
- **VENTILATION**17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents
- INNER SUN SHIELD
 Smoke tinted inner flip down sun shield system with left side slide lever

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Microlock (quick release)
- •Provides ample ear cavity space for most speaker systems
- •There are 4 tinted shields available for this model
- •A clear coat finish to protect paint & graphics
- •A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.

Available size: XS-XXL

NOTE: SEE PAGE 41 FOR THE PINLOCK[®] SHIELDS

NOTE: SEE PAGE 39 FOR THE COLD WEATHER SHIELDS, BREATH GUARDS AND CHIN CURTAINS

NEW ACCESSORIES

FX-41DS OUTER LENS SHIELD WITH PINLOCK® PINS

7PINLOGX70 SEE PAGE 41

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

















































HELMET TECHNOLOGY

- SHELL DESIGN
 - A sleek European influenced shell design constructed using an advanced lightweight composite poly-alloy. Raised front shell section to accommodates inner drop down shield without reducing fit and comfort
- FACE SHIELD
 A flush-fit, side-coverless OPTICAL CLASS 1 face shield with integrated air dam is also HY-DROPHOBIC coated to disperse and repel water
- **S** VENTILATION
 - 10 points of aerodynamically designed flush fit ventilation. Large dual air intake designed for easy one handed use with gloves. Eight exhaust vents positioned to maximize negative presure suction
- INNER SUN SHIELD
 Smoke tinted dual cable activated drop down inner flip sun shield system with left side slide lever
- **COM SYSTEM PREPARED**Oversized ear cavity for optimized communication mounting

















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Full 3D fit comfort liner and cheek pad system
- •Dual lip wiper style full perimeter rain gasket for the ultimate in leak proof shield sealing
- •Retention system is D-Ring

- •Features a metal ring for secure lock ability
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-60 weighs 1.36 kg or 2.98 lbs.
- Available size: XS-XXXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.



XS	S	M
40	35	30
15	12	9

L	XL	XXL	XXXL
40	35	30	25
15	12	9	6

















XS S M L XL XXL XXXL 0104 2554 2555 2556 2557 2558 2559 2560

















XS S M L XL XXX XXXL 0104 N/A 2580 2581 2582 2583 2584 2585











XS S M L XL XXL XXXL 0104 2573 2574 2575 2576 2577 2578 2579







HELMET TECHNOLOGY

- SHELL DESIGN
 An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength
- INNER SUN SHIELD Patented dual inner lens design, smoke for daytime use and clear for nighttime use, no need to change shields or ride without eye protection
- CONE-HEAD EPS
 Advanced Cone-Head ® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head

MAIN SPECIFICATIONS

- •This helmet model meets or exceeds DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Double D-RING
- •A helmet liner made with a hypo-allergenic and anti-microbial nylon
- •Removable ear covers. Ear cover kit included A
- •A clear coat finish to protect paint & graphics
- •A large-size FX-200 weighs 1.00 kg or 2.20 lbs.
- Available size: XS-XXL











REPLACEMENT PARTS
PAGE # 47

INCLUDES EAR COVER KIT





















FX-200 SLICK



SHELL DESIGN

An aerodynamic shell design constructed using advanced fiberglass reinforced plastic (FRP) for light weight and strength

BASED ON THE INNOVATIVE DUAL LENS FX-200 BUT WITH THE SHIELDS, VISOR AND EAR COVERS ELIMINATED FOR EVEN LIGHTER WEIGHT AND SIMPLICITY

CONE-HEAD EPS
Advanced Cone-Head ® ultra light weight EPS protection system, allows helmets to be Engineered, lighter and fit closer to the head

MAIN SPECIFICATIONS

- •This helmet model meets or exceeds DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Double D-RING
- •A helmet liner with a hypo-allergenic and anti-microbial nylon
- ·A clear coat finish to protect paint & graphics
- •A large-size FX-200S weighs 0.75 kg or 1.65 lbs.
- Available size: XS-XXL















FX-200 SLICK





| XS | S | M | L | XL | XXL | XXL | 0103- | 0922 | 0923 | 0924 | 0925 | 0926 | 0927



XS S M L XL XXL 0103- 0999 1000 1001 1002 1003 1004



XS S M L XL XXL 0103- 1005 1006 1007 1008 1009 1010



HELMET TECHNOLOGY



SHELL DESIGN

An historically inspired shell design constructed using thermoplastic poly-alloy

MAIN SPECIFICATIONS

- •This helmet model meets or exceeds DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Double D-RING
- •A helmet liner made with a hypo-allergenic and anti-microbial nylon
- •A clear coat finish to protect paint & graphics
- •A large-size FX-88 weighs 0.80 kg or 1.76 lbs.
- Available size: XS-XXL

















| XS S M L XL XXL | 0103- | 1082 | 1083 | 1084 | 1085 | 1086 | 1087



XS S M L XL XXL 0103- 1064 1065 1066 1067 1068 1069



| XS S M L XL XXL | TROST GREY | XL XXL | XXL |

FX-41DS SNOW DOUBLE LENS




FACE SHIELD

A flush-fit, quick release screw on face shield AFX DESIGNED AMPD™ FRAMELESS DOUBLE LENS SNOW SHIELD A that is optically correct, compound-curved, scratch-resistant and protects against UV-rays. Shield can be removed to allow open face riding or for use with most goggles

VISOR

A removable and adjustable (40mm) screw-on visor. Shield can also be used without the visor. Side cover kit included

- VENTILATION 17 points of ventilation with chin, side, forehead, top and rear vent. 7 intake vents and 10 exhaust vents
- **INNER SUN SHIELD** Smoke tinted inner flip down sun shield system with left side slide lever



















MAIN SPECIFICATIONS

- •This helmet model meets or exceeds both ECE 22.05 and DOT FMVSS-218 motorcycle helmet safety standards
- •Retention system is Microlock (quick release)
- •Provides ample ear cavity space for most speaker systems
- •A clear coat finish to protect paint & graphics
- •A large-size FX-41DS weighs 1.68 kg or 3.69 lbs.
- Available size: XS-XXL

REMOVABLE, WASHABLE AND CUSTOM SIZABLE INTERIOR

AFX helmet liners and cheek pads are made with a hypoallergenic and anti-microbial nylon, most of which are removable and washable.

The size of this helmet is based on a combination of four factors: outer shell size, inner EPS thickness, comfort liner thickness and cheek pad thickness. The fit of the helmet can be customized by replacing your existing cheek pads with thinner cheek pads (for a looser fit) or thicker cheek pads (for a tighter fit). The fit can also be customized by replacing your existing comfort liner with a thinner comfort liner (for a looser fit) or thicker comfort liner (for a tighter fit).

Please refer to the shell, liner and cheek pad compatibility chart below. Keep in mind these components can only be replaced inside the group of sizes contained in each size range block.

HELMET SHELL & EPS SIZE	XS	S	M	L	XL XXL
CHEEK PAD THICKNESS (MM)	38	34	28	30	24 22
COMFORT LINER THICKNESS (MM)	8	4	8	8	10 6









FX-41DS SNOW DOUBLE LENS





0121- N/A 0833 0834 0835 0836 0837



FX-41DS SNOW DOUBLE LENS



FX-41DS DOUBLE LENS SNOW SHIELD PART NUMBER:0130-0603





FX-41DS EXTREME BREATH GUARD SIZE: XS-M PART NUMBER :0134-1362



FX-41DS EXTREME BREATH GUARD SIZE:L-XXL PART NUMBER :0134-1214



FX-41DS WINTER CHIN CURTAIN PART NUMBER: 0134-2376

FX-99 PINLOCK®

FX-99 OUTER LENS SHIELD WITH PINLOCK®PINS



CLEAR	0130-0787
DARK SMOKE	0130-0788
SILVER MIRROR	0130-0789
GOLD MIRROR	0130-0790

FX-99 PINLOCK®70 MAX CUSTOM FIT ANTI-FOG INSERT







CLEAR	0130-0791
LIGHT SMOKE	0130-0792
DARK SMOKE	0130-0793
YELLOW	0130-0794

FX-41DS PINLOCK®

FX-41DS OUTER LENS SHIELD WITH PINLOCK® PINS



CLEAR	0130-0828
DARK SMOKE	0130-0829
SILVER MIRROR	0130-0930
GOLD MIRROR	0130-0831

FX-41DS PINLOCK® 70 MAX CUSTOM FIT ANTI-FOG INSERT







CLEAR	0130-0832
DARK SMOKE	0130-0833
YELLOW	0130-0834

SKY PILOT GOGGLE

SPECIFICATIONS & FEATURES

MATTE BLACK COLOR FRAME CONSTRUCTED FROM A POLYURETHANE COMFORT FLEX MATERIAL DURABLE LEATHER LOOK MATERIAL ON THE INSIDE OF THE FRAME FOR ULTIMATE DURABILITY AND COMFORT POLYCARBONATE HARD COATED LENSES WITH DOUBLE SIDED ANTI-FOG COATINGS QUALITY GUN METAL FRAMES AROUND THE OUTER LENSES NO SLIP GRIP SILICON STRIP ON ELASTIC STRAP INCLUDES MICROFIBER POUCH FOR SAFE CLEANING AND STORAGE AFX FOUR COLOR HARD BOX RETAIL PACKAGING

CERTIFICATIONS:ANSI Z87.1-2010 of USA, EN ISO 12312-1:2013+A1:2015 EN ISO 12311:2013, PPE directive 89/686/EEC CE Compliant



MATTE BLACK WITH CLEAR LENS PART NUMBER: 2601-2606

MATTE BLACK WITH SMOKE LENS PART NUMBER: 2601-2607

BOUNTY HUNTER GOGGLE & MASK

SPECIFICATIONS & FEATURES

MATTE BLACK COLOR FRAME AND DETACHABLE MASK CONSTRUCTED FROM A DURABLE URETHANE COMFOR-FLEX MATERIAL.

HARD COATED ANTI-SCRATCH CLEAR LENS.
MULTI LAYER EXTENDED FACE FOAM FOR THE ULTIMATE IN COLD, COMFORT AND PERSPIRATION

40 MM UN-NAMED STEALTH STRAP WITH WAVE SILICONE INSIDE BEADING. INCLUDES MICROFIBER POUCH FOR CLEANING AND STORAGE.

FOUR COLOR HARD BOX RETAIL PACKAGING.









OPTIONAL SMOKE LENS PART NUMBER: 2602-0782



REMOVABLE REPLACEMENT MATTE MASK **PART NUMBER: 2602-0783**

AFX HELMET HOLDER

SPECIFICATIONS & FEATURES

- FITS ALL STANDARD SLAT-WALL TYPES
- PACKAGED 6PCS. PER BOX, PER ITEM NUMBER
- MADE FROM IMPACT RESISTANT PLASTIC ALLOY WITH SILVER AFX LOGO
- •DESIGNED TO FIT ALL HELMET TYPES

AFX HELMET HOLDER PART NUMBER :9903-0324









AFX WALL STICKER



AFX WALL STICKER
PART NUMBER :9904-1237
80cm (31.5") x 23cm (9")

AFX HEAD MEASUREMENT TOOL



AFX HEAD MEASUREMENT TOOL PART NUMBER :9904-1238

FX-99 REPLACEMENT PARTS & ACCESSORIES

OUTER LENS SHIELD WITH PINLOCK PINS



CLEAR STANDARD	0130-0787
SMOKE	0130-0788
SILVER MIRROR	0130-0789
BLUE MIRROR	0130-0790

PINLOCK 70 CUSTOM FIT ANTI-FOG INSERT

CLEAR	0130-0791
LIGHT SMOKE	0130-0792
DARK SMOKE	0130-0793
YELLOW	0130-0794

CHEEK PAD SET



XS	0134-2359
S	0134-2360
М	0134-2361
L	0134-2362
XL	0134-2363
XXL	0134-2364

COMFORT LINER



XS	0134-2365
S	0134-2366
M	0134-2367
L	0134-2368
XL	0134-2369
XXL	0134-2370

SHIELD RATCHET KIT



0133-0698

VENT SILVER SLIDER SET



0133-1168

REPLACEMENT CHIN CURTAIN



XS-M 0134-2371 L-XXL 0134-2372

NOTE: TO CONVERT EXISTING FX-99 HELMETS TO SNOW HELMETS: CHOOSE SHIELD TYPE AND BREATH GUARD.



FX-99 AMPD DOUBLE LENS SNOW SHIELD PART NUMBER :0130-0494





OPTIONAL COLD WEATHER
BREATH GUARD
XS-M L-XXL

0134-2373

0134-2374



REPLACEMENT THREE PEICE ELECTRIC CORD SET FOR ALL RCA CONNECTION AFX ELECTRIC SHIELD HELMETS AND SHIELD KITS. PART NUMBER :0133-0518 FX-99 AMPD ELECTRIC DOUBLE LENS SNOW SHIELD PART NUMBER :0130-0496





12 VOLT POWER PLUG UNIVERSAL ADAPTER TO RCA CONNECTION PART NUMBER :2130-0053

FX-60 REPLACEMENT PARTS

OUTER Shield	CLEAR	DARK SMOKE
	0130-0895	0130-0896





FX-41DS REPLACEMENT PARTS

REPLACEMENT PEAK	SOLID COLOR	EIGER
FLAT BLACK	0132-0776	
GLOSS BLACK	0132-0777	
PEARL WHITE	0132-0778	
SILVER	0132-0779	
FROST GRAY	0132-0780	
SAFETY ORANGE	0132-0781	
HI-VIS YELLOW	0132-0782	
FUCHSIA	0132-0843	
RED/WHITE/BLUE		0132-1191
BLACK/RED		0132-1192
FROST GREY/ NEON ORANGE		0132-1193
FROST GREY/ NEON YELLOW		0132-1194
BLACK/BLUE/ LIGHT BLUE		0132-1195
MATTE BEIGE/ KAKI/NEON GREEN		0132-1196

	CHEEK PAD Set	COMFORT Liner
	5	
XS	0134-1516	AFX
s	0134-1517	AFX
М	0134-1518	AFX
L	0134-1519	AFX
XL	0134-1520	AFX
XXL	0134-1521	AFX

	OUTER Shield	INNER FLIP DOWN SHIELD	
CLEAR STANDARD	0130-0501	0130-0665	
LIGHT SMOKE	0130-0502	0130-0507	
DARK SMOKE	0130-0503	0130-0506	
SILVER MIRROR	0130-0504		
GOLD MIRROR	0130-0505		

PEAK SCREW SET	SHIELD PIVOT KIT	TOP VENT SLIDER	CHIN VENT	VISOR Stabilizer	SIDE COVER SET	CHIN CURTAIN
•11				(
						0134-1838

FX-200 REPLACEMENT PARTS

INNER FLIP DOWN SHIELD	CLEAR	DARK SMOKE
	0130-0419	0130-0420

EAR COVER SET	XS-M	L-XXL
	0134-1284	0134-1285

PEAK WITH SCREWS / BLACK		PEAK SCREWS	
	0132-0618	17	0133-0635

AFX HELMET FIT AND SIZE GUIDE HOW TO FIND THE RIGHT FITTING HELMET FOR YOUR HEAD SHAPE

To properly choose a helmet fit, there are three important points of criteria that need to be examined in order for you to choose the helmet that fits you best.

1. Head Shape

The shape of the riders head is more important then the measured size of the riders head. Head shape can be determined by many factors including genetics and ethnic origin. However its important to note that there is no universal perfect head shape that is used for all models of helmets. Some helmets are designed for a functionality that dictates the final shape and fit of the helmet in question.

AFX helmets can be grouped into these three main fit categories: slightly narrow fit, neutral fit, and slightly round fit.

- Slightly Narrow Fit, helmets in this head shape may feel a little tighter on the left and right sides of the riders head.
- Neutral Fit, helmets in this head shape tend to fit a majority of riders.
- Slightly Round Fit, helmets in this head shape may feel a little tighter on the front and back sides of the head for some riders.

Please refer to the AFX helmet fit shape explanation

2. Size Measurement

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear.

Please refer to the AFX helmet sizing chart

3. Comfort and Fit


Helmets must fit snugly, but not painfully tight. While holding the chinstraps outside of the helmet, pull it down over your head, taking care that the chinstraps do not go up inside the helmet. A proper-fitting helmet will feel snug with fairly even pressure around the sides and top of your head. On most modern helmets the liner and cheek pads are designed to be a little extra snug at first, but will break-in after several hours of riding to match the particular shape of your head. If you are not familiar with how a helmet should fit and feel, be sure to ask for assistance from a more experienced rider. As a rule, the helmet should not be able to move around on your head without pulling on your skin. A loose fitting helmet is not only dangerous, but may also be noisy and tiring to wear. Most people make the mistake of buying a helmet that's too large. IMPORTANT: Make sure that you fasten the chinstrap securely beneath your chin when trying-on a helmet and then test to see that the helmet cannot be removed from your head when fastened in that manner.

Note: Most AFX helmets offer some degree of comfort and fit customization by being able to interchange combinations of comfort liners and cheek pads within the helmet shell size range. For a more detailed explanation of this feature please refer to the owners manual included with your helmet or visit afxhelmets.com.

AFX HELMET HEAD FIT SHAPE



AFX HELMET HEAD FIT SHAPE




NEUTRAL FIT

HELMETS IN THIS HEAD SHAPE WILL FIT A MAJORITY OF PEOPLE

NEUTRAL FIT AFX HELMETS

FX-17, FX-39DS S2, FX-41DS, FX-70, FX-72, FX-75, FX-88, FX-200. FX-200S, FX-MAGNUS, FX-99, FX-78, FX-111, FX-60, FX-142, FX-143



SLIGHTLY ROUND FIT

HELMETS IN THIS HEAD SHAPE
MAY FEEL A LITTLE TIGHTER ON
THE FRONT AND BACK SIDES OF
THE HEAD FOR SOME PEOPLE

SLIGHTLY ROUND FIT AFX HELMETS

FX-50

12.05.16

AFX HELMET SIZING FIT CHART

NOTE: THIS CHART IS FOR REFERENCE ONLY

Determine the circumference of the widest part of your head by using a flexible tape measure. Generally, the widest part of a person's head is the area 2.5 cm (1") above the eyes and ears. However, we suggest measuring at a few points both above and below that line to determine the greatest measurement before referring to our size table. We also suggest testing the fit of a helmet one size smaller and one size larger then what the chart recommends. No helmet can provide protection if it's too uncomfortable to wear. Please note the size measurements noted on these charts are meant as an approximation for fit. Helmet style (street vs off-road) and physical head shape may determine what size actually fits independent of the measurements listed below.

Centimeters	Inches	Letter size	Youth AFX Size
47 - 48	18 1/2 - 19	Youth Small	Y-S
49 - 50	19 3/8 - 19 3/4	Youth Medium	Y-M
51 - 52	20 1/8 - 20 1/2	Youth large	Y-L

Centimeters	Inches	Letter size	Adult AFX Size
53	20 7/8	Adult XS*	XS*
54	21 1/4	Adult XS	XS
55	21 5/8	Adult Small	S
56	22	Adult Small	S
57	22 3/8	Adult Medium	M
58	22 3/4	Adult Medium	М
59	23 1/8	Adult Large	L
60	23 1/2	Adult Large	L
61	24	Adult X-Large	XL
62	24 3/8	Adult X-Large	XL
63	24 3/4	Adult XX-Large	XXL
64	25 1/8	Adult XX-Large	XXL
65	25 5/8	Adult XXX-Large	XXXL
66	26	Adult XXX-Large	XXXL
67	26 3/8	Adult XXXX-Large	XXXXL
68	26 3/4	Adult XXXX-Large	XXXXL

Note: Due to size and fit similarities between some Youth Large and Adult X-Small Helmets in the size chart noted above, It is the Parents /Guardians responsibility to determine if a Youth Rider may safely and comfortably wear an Adult sized helmet. Under no circumstances should a Youth Rider ever wear a helmet thats too large or too heavy to wear comfortably.

SAFETY

WHEN TO REPLACE A HELMET

The expected lifespan of any helmet is 4-5 years of seasonal use, and decreases accordingly as the frequency of use increases. As you would expect, helmets used for competition such as road racing and motocross tend to have a much shorter life span. The more exposure a helmet endures to the elements, body oils, and perspiration, the faster it will wear out. In most cases the helmet liner will be the first component to wear out and, as such, functions as a good indicator that a helmet should be replaced.

We at AFX recommend that any helmet suffering a significant impact to the shell be removed from use immediately, whether there is visible physical damage or not. A helmet is designed to deform in an accident in order to absorb the energy of the impact, and should never be reused afterwards for its ability to protect the rider further could be compromised.

SAFETY REMINDER

No helmet can protect the wearer against all possible or foreseeable impacts. A helmet can only protect the portion of the head that is covered by the helmet. For maximum protection, the helmet must be well fitted with the chinstrap securely fastened. Failure to follow these instructions, the instructions printed on the helmet, and those contained in the owner's manual may result in the possibility of the helmet coming off during an accident - possibly resulting in a severe head injury or even death. While riding motorcycles, scooters, ATVs and snowmobiles is fun, it can also be a dangerous pastime. At AFX, we encourage you to enjoy riding responsibly, and to always ride within the limits of your abilities.

