

**PARTS
UNLIMITED**

AFX
WWW.AFXHELMETS.COM

DRAG
Specialties

2003

SNOW HELMET CATALOG

AFX

THE FIRST NAME IN HELMETS



AFX

THE FIRST NAME IN HELMETS





FX-10 Solid Snow



BLACK

WITH DOUBLE LENS ELECTRIC SHIELD

AFX-10 FULL FACE DOT APPROVED SOLID COLORS WITH DOUBLE LENS ELECTRIC SHIELD

SIZE	BLACK
X-SMALL	FX10-00812
SMALL	FX10-00813
MEDIUM	FX10-00814
LARGE	FX10-00815
X-LARGE	FX10-00816
XX-LARGE	FX10-00817
XXX-LARGE	FX10-00818
XXXX-LARGE	FX10-00819



BLACK

WITH DOUBLE LENS SHIELD

AFX-10 FULL FACE DOT APPROVED SOLID COLORS WITH DOUBLE LENS SHIELD

SIZE	BLACK
X-SMALL	FX10-00192
SMALL	FX10-00193
MEDIUM	FX10-00194
LARGE	FX10-00195
X-LARGE	FX10-00196
XX-LARGE	FX10-00197
XXX-LARGE	FX10-00198
XXXX-LARGE	FX10-00199



INCLUDES CHIN CURTAIN AND BREATH GUARD

AFX FX-10 CAF® VENTILATION SYSTEM

CAF® CONTROLLED AIR FLOW VENTILATION SYSTEM EXPLAINED

CHIN VENT

The shape and size of the FX-10 chin vent is designed for optimal airflow and reduced noise. Its compound curved design was developed to allow airflow to smoothly pass over the chin area of the helmet.

In the open position air is redirected up the inside of the face shield rather than through the front jaw. This greatly reduces the chance of fogging and promotes an even airflow across the inside surface of the face shield. This feature is similar to the windshield vent found in most modern automobiles.

TOP VENT

Like the chin vent, the top forehead vent is aerodynamically designed to optimize airflow. In the open position air is forced into large intake holes in the outside vent cover, and channeled to the forehead area. Once inside the helmet, air is directed along paths designed into the liner. These air paths lead the air around both sides of the top of the head.



SIDE AIR EXIT VENTS

The most noticeable feature of the new CAF® system is the side air exit vents. These vents are designed to allow air inside the chin area to be drawn out through the side of the helmet. Air passing over these vents creates a vacuum inside the vent area.

In the open position air inside the chin area is drawn out through passages in the front chin bar to the side of the helmet, where fast moving air over the vents pulls the air out through the back of the vent. The function of this vent is controlled by small switches on the outside of the helmet incorporated into the vent design. This provides the convenience of being able to open or close the vents without having to remove the helmet.

FX-10 Multi Snow

STANDARD FEATURES

- * MEETS OR EXCEEDS : DOT FMVSS-218
- * CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY
- * AERODYNAMIC SHELL DESIGN
- * CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT
- * RECESSED FOREHEAD AND AERODYNAMIC CHIN VENTS PROVIDE INCREASED AIRFLOW AND REDUCED WIND NOISE
- * OUTSIDE ADJUSTABLE SIDE VENTURI AIR VENTS INCREASE EXHAUST AIR FLOW
- * FLUSH FIT QUICK RELEASE SIDE COVERS WITH SINGLE TURN SCREW
- * DOUBLE LENS THERMAL PANE FACE SHIELD
- * VENTED CHIN CURTAIN
- * MOLDED THERMAL FORMED BREATH GUARD
- * AMPLE EAR CAVITY FOR SPEAKERS
- * SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

FX-10 HELMET WEIGHT (LARGE)
3.3 lb 53 oz 1.5 kg

AVAILABLE SIZES

XS, S, M, L, XL, XXL, XXXL, XXXXL



RED MULTI



INCLUDES CHIN CURTAIN AND BREATH GUARD



GREEN MULTI



BLUE MULTI



SILVER MULTI



YELLOW MULTI


FX-10 ARROW FULL FACE DOT APPROVED MULTI COLORS WITH DOUBLE LENS SHIELD

SIZE	SILVER MULTI	BLUE MULTI	RED MULTI	GREEN MULTI	YELLOW MULTI
X-SMALL	FX10-11492	FX10-11392	FX10-10592	FX10-11792	FX10-11892
SMALL	FX10-11493	FX10-11393	FX10-10593	FX10-11793	FX10-11893
MEDIUM	FX10-11494	FX10-11394	FX10-10594	FX10-11794	FX10-11894
LARGE	FX10-11495	FX10-11395	FX10-10595	FX10-11795	FX10-11895
X-LARGE	FX10-11496	FX10-11396	FX10-10596	FX10-11796	FX10-11896
XX-LARGE	FX10-11497	FX10-11397	FX10-10597	FX10-11797	FX10-11897
XXX-LARGE	FX10-11498	FX10-11398	FX10-10598	FX10-11798	FX10-11898
XXXX-LARGE	FX10-11499	FX10-11399	FX10-10599	FX10-11799	FX10-11899

Parts & Accessories

All AFX electric and double lens face shields are made in North America using the highest quality America made materials for superior quality and durability. All our face shields are made from hard coated polycarbonate with an exclusive anti fog inner lens. AFX electric shields are the clear laminate design, providing a clear no lines views while being able to generate a difference in temperature of 50-60 degrees F. Fits all FX-10 and X-15R helmets.

AFX "NO-LINES" ELECTRIC DOUBLE LENS FACE SHIELD



ITEM

PART NUMBER

NO LINES CLEAR ELECTRIC SHIELD (INCLUDES A&B)		FX-0100
REPLACEMENT HELMET COIL CORD FOR ABOVE	A	FX-0101
REPLACEMENT MACHINE STRAIGHT CORD ABOVE	B	FX-0102

AFX DOUBLE LENS FACE SHIELD




ITEM

PART NUMBER

STANDARD CLEAR DOUBLE LENS SHIELD		FX-0103
-----------------------------------	--	---------

AFX CHIN CURTAIN AND BREATH GUARD



ITEM

PART NUMBER

VENTED CHIN CURTAIN	A	FX-0104
MOLDED BREATH GUARD	B	FX-0105



FX-6R

Youth Snowmobile Off-Road Helmet

DOT APPROVED

STANDARD FEATURES

- * MEETS OR EXCEEDS : DOT FMVSS-218
- * CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY
- * CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT
- * REPLACEABLE FOREHEAD AND CHIN VENTS PROVIDE INCREASED AIRFLOW AND REDUCED WIND NOISE
- * PLUSH BRUSHED REMOVABLE AND WASHABLE HYPO-ALLERGENIC NYLON INTERIOR
- * BALLISTIC NYLON CHIN BAR LINER FOR DURABILITY AND GOOD LOOKS.
- * THREE SCREW PAINTED AFX AIR FORCE VISOR WITH ROOST GRAPHICS
- * TWO ALUMINIUM VISOR SCREWS, AND NEW DESIGN CENTRE SCREW
- * SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

KEY FEATURES

- * ULTRA LIGHT WEIGHT
- * TRUE YOUTH SIZED SHELL
- * FULLY REMOVABLE AND WASHABLE SNAP OUT LINER AND CHEEK PADS. LIKE THE FX-8R

FX-6R HELMET WEIGHT (LARGE)

2.2 lb 35 oz 1.0 kg

AVAILABLE SIZES

THREE YOUTH SIZES :

YOUTH SMALL = ADULT XXXS

YOUTH MEDIUM = ADULT XXS

YOUTH LARGE = ADULT XS

The Helmet That Can Grow With Your Child

By simply replacing the cheek pads and liner a FX-6R helmet can be transformed to comfortably fit a child with any of three youth helmet sizes: Youth Small, Youth Medium or Youth Large. For example, you could take an existing Youth Small FX-6R helmet, pop out the cheek pads and removable liner, replace them with the Youth Large cheek pads and liner, and end up with a Youth Large FX-6R helmet. Since the physical shell of the FX-6R helmet never changes, the impact safety provided by DOT-approved youth helmet is not affected by the change.



SILVER METAL



SILVER MULTI



GREEN MULTI



RED MULTI



ORANGE MULTI



YELLOW MULTI



BLUE MULTI



FX-6R ROOST FULL FACE YOUTH OFF ROAD HELMET DOT APPROVED MULTI COLORS

SIZE	SILVER MULTI	BLUE MULTI	RED MULTI	GREEN MULTI	YELLOW MULTI	ORANGE MULTI	SILVER METAL
Y-SMALL	FX6-1144	FX6-1134	FX6-1054	FX6-1174	FX6-1184	FX6-1234	FX6-1444
Y-MEDIUM	FX6-1145	FX6-1135	FX6-1055	FX6-1175	FX6-1185	FX6-1235	FX6-1445
Y-LARGE	FX6-1146	FX6-1136	FX6-1056	FX6-1176	FX6-1186	FX6-1236	FX6-1446



FX-8R

STANDARD FEATURES

- * MEETS OR EXCEEDS : DOT FMVSS-218
- * MEETS OR EXCEEDS: SNELL M2000
- * CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY
- * CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT
- * REPLACEABLE FOREHEAD AND CHIN VENTS PROVIDE INCREASED AIRFLOW AND REDUCED WIND NOISE
- * WING STYLE CROWN AIR VENTS
- * PLUSH BRUSHED HYPO-ALLERGENIC NYLON INTERIOR WITH FULLY REMOVABLE AND WASHABLE SNAP OUT LINER AND CHEEK PADS.
- * BALLISTIC NYLON CHIN BAR LINER FOR DURABILITY AND GOOD LOOKS.
- * FULLY PAINTED THREE SCREW AFX AIR FORCE VISOR
- * SQUARE TYPE D-RING WITH CHIN STRAP HOLDER
- * INCLUDES BLACK CARRY BAG
- * NEW ROOST GRAPHIC WITH FULLY PAINTED VISOR
- * TWO ALUMINUM VISOR SCREWS, AND NEW DESIGN CENTER SCREW
- * ALSO AVAILABLE IN CHROME FINISH AND SOLID ORANGE

FX-8R HELMET WEIGHT (LARGE)
3.3 lb 53 oz 1.5 kg

AVAILABLE SIZES

XS, S, M, L, XL, XXL



BLUE MULTI



SILVER METAL



RED MULTI



SILVER MULTI



GREEN MULTI



ORANGE MULTI



YELLOW MULTI



SOLID ORANGE

FX-8R ROOST FULL FACE OFF ROAD HELMET SNELL M2000 APPROVED MULTI COLORS

SIZE	SILVER MULTI	BLUE MULTI	RED MULTI	GREEN MULTI	YELLOW MULTI	ORANGE MULTI	SILVER METAL	ORANGE SOLID
X-SMALL	FX8-2143	FX8-2133	FX8-2053	FX8-2173	FX8-2183	FX8-2233	FX8-2443	FX8-0233
SMALL	FX8-2144	FX8-2134	FX8-2054	FX8-2174	FX8-2184	FX8-2234	FX8-2444	FX8-0234
MEDIUM	FX8-2145	FX8-2135	FX8-2055	FX8-2175	FX8-2185	FX8-2235	FX8-2445	FX8-0235
LARGE	FX8-2146	FX8-2136	FX8-2056	FX8-2176	FX8-2186	FX8-2236	FX8-2446	FX8-0236
X-LARGE	FX8-2147	FX8-2137	FX8-2057	FX8-2177	FX8-2187	FX8-2237	FX8-2447	FX8-0237
XX-LARGE	FX8-2148	FX8-2138	FX8-2058	FX8-2178	FX8-2188	FX8-2238	FX8-2448	FX8-0238

FX-9

STANDARD FEATURES

- * MEETS OR EXCEEDS : DOT FMVSS-218
- * ECONOMICAL DOT VERSION OF THE FX-8R
- * CONSTRUCTED USING THERMO-PLASTIC POLY ALLOY
- * CLEAR COAT FINISH PROTECTS HELMET PAINT AND GRAPHICS AND LOOKS GREAT
- * REPLACEABLE FOREHEAD AND CHIN VENTS PROVIDE INCREASED AIRFLOW AND REDUCED WIND NOISE
- * NON-REMOVABLE WASHABLE PLUSH BRUSHED HYPO-ALLERGENIC NYLON INTERIOR
- * BALLISTIC NYLON CHIN BAR LINER FOR DURABILITY AND GOOD LOOKS
- * PANITED THREE SCREW AFX AIR FORCE VISOR
- * TWO ALUMINUM VISOR SCREWS, AND NEW DESIGN CENTER SCREW
- * SQUARE TYPE D-RING WITH CHIN STRAP HOLDER

FX-9 HELMET WEIGHT (LARGE)
3.3 lb 53 oz 1.5 kg

AVAILABLE SIZES

XS, S, M, L, XL, XXL



SILVER METAL



RED MULTI



BLUE MULTI



SILVER MULTI



GREEN MULTI



ORANGE MULTI



YELLOW MULTI

FX-9 HOLESHOT FULL FACE OFF ROAD HELMET DOT APPROVED MULTI COLORS

SIZE	SILVER MULTI	BLUE MULTI	RED MULTI	GREEN MULTI	YELLOW MULTI	ORANGE MULTI	SILVER METAL
X-SMALL	FX9-1143	FX9-1133	FX9-1053	FX9-1173	FX9-1183	FX9-1233	FX9-1443
SMALL	FX9-1144	FX9-1134	FX9-1054	FX9-1174	FX9-1184	FX9-1234	FX9-1444
MEDIUM	FX9-1145	FX9-1135	FX9-1055	FX9-1175	FX9-1185	FX9-1235	FX9-1445
LARGE	FX9-1146	FX9-1136	FX9-1056	FX9-1176	FX9-1186	FX9-1236	FX9-1446
X-LARGE	FX9-1147	FX9-1137	FX9-1057	FX9-1177	FX9-1187	FX9-1237	FX9-1447
XX-LARGE	FX9-1148	FX9-1138	FX9-1058	FX9-1178	FX9-1188	FX9-1238	FX9-1448



The First Name In Quality Helmets™



WWW.AFXHELMETS.COM



WWW.AFXHELMETS.COM



WWW.AFXHELMETS.COM



WWW.AFXHELMETS.COM

AFX NORTH AMERICA INC.

585 CONSORTIUM CT., LONDON, ONTARIO, CANADA N6E 2S8

Toll Free: (877) 686-6477 Tel: (519) 686-6477 Fax: (519) 686-6056

Email: info@afxhelmets.com www.afxhelmets.com